

INDUSTRIAL

SERIES: DRH/GDHN

BRACKET: **HEAVY PRESSED STEEL**
 WHEEL: **NYLON**
 BEARING: **ROLLER AND BALL BEARING**



MEDIUM / HEAVY



DRHNY SWIVEL

GOLD BRACKET										
125GDH4NYBJ	125	50		135x110	105X80	12	55	166	700	
150GDH4NYBJ	150	45		135x110	105x80	12	55	194	700	
200GDH4NYBJ	200	50		135x110	105x80	12	55	239	800	
250GDH4NYBJ	250	60		135x110	105x80	12	55	291	800	
100DRH4NYB	100	35		105x85	80x60	9	39	128	250	
100DRH4NYBJ	100	40		105x85	80x60	9	39	128	350	
125DRH4NYB	125	35		105x85	80x60	9	44	152	270	
125DRH4NYBJ	125	35		105x85	80x60	9	44	152	400	



DRHNY FIXED

GOLD BRACKET										
125GDH8NYBJ	125	50		135x110	105X80	12	55	166	700	
150GDH8NYBJ	150	45		135x110	105x80	12	55	194	700	
200GDH8NYBJ	200	50		135x110	105x80	12	55	239	800	
250GDH8NYBJ	250	60		135x110	105x80	12	55	291	800	
100DRH8NYB	100	35		105x85	80x60	9		128	250	
100DRH8NYBJ	100	40		105x85	80x60	9		128	350	
125DRH8NYB	125	35		105x85	80x60	9		152	270	
125DRH8NYBJ	125	35		105x85	80x60	9		152	400	



DRHNY BRAKED

GOLD BRACKET										
125GDH4NYBJSWB	125	50		135x110	105X80	12	55	166	700	
150GDH4NYBJSWB	150	45		135x110	105x80	12	55	194	700	
200GDH4NYBJSWB	200	50		135x110	105x80	12	55	239	800	
250GDH4NYBJSWB	250	60		135x110	105x80	12	55	291	800	
100DRH4NYBSWB	100	35		105x85	80x60	9	39	128	250	
100DRH4NYBJSWB	100	40		105x85	80x60	9	39	128	350	
125DRH4NYBSWB	125	35		105x85	80x60	9	44	152	270	
125DRH4NYBJSWB	125	35		105x85	80x60	9	44	152	400	



DRHNY BOLT HOLE

100DRHBH12NYB	100	35						12.1	39	128	250
100DRHBH12NYBJ	100	40						12.1	39	128	350
125DRHBH12NYB	125	35						12.1	44	152	270
125DRHBH12NYBJ	125	35						12.1	44	152	400



DRHNY BOLT HOLE BRAKED


100DRHBH12NYBSWB	100	35						12.1	39	128	250
100DRHBH12NYBJSWB	100	40						12.1	39	128	350
125DRHBH12NYBSWB	125	35						12.1	44	152	270
125DRHBH12NYBJSWB	125	35						12.1	44	152	400

EXPANDERS



AVAILABLE
PAGE 148

DIRECTIONAL LOCK



AVAILABLE

Only Gold swivel castors.







INDUSTRIAL

SERIES: DRH/GDHBN

BRACKET: **HEAVY PRESSED STEEL**
 WHEEL: **ELASTIC NON-MARKING RUBBER ON NYLON CENTRE**
 BEARING: **ROLLER / BALL BEARING**




MEDIUM / HEAVY

	DRHBN SWIVEL										
GOLD BRACKET	125GDH4BNBJ	125	50		135x110	105x80	12	55	166	310	
	150GDH4BNBJ	150	50		135x110	105x80	12	55	194	350	
	160GDH4BNB	160	45		135x110	105x80	12	55	199	350	
	200GDH4BNBJ	200	45		135x110	105x80	12	55	239	400	
	100DRH4BNB	100	36		105x85	80x60	9	39	128	200	
125DRH4BNB	125	36		105x85	80x60	9	44	152	250		
	DRHBN FIXED										
	GOLD BRACKET	125GDH8BNBJ	125	55		135x110	105x80	12		166	310
		150GDH8BNBJ	150	55		135x110	105x80	12		194	350
		160GDH8BNB	160	45		135x110	105x80	12		199	350
		200GDH8BNBJ	200	45		135x110	105x80	12		239	400
100DRH8BNB	100	36		105x85	80x60	9		128	200		
125DRH8BNB	125	36		105x85	80x60	9		152	250		
	DRHBN BRAKED										
	GOLD BRACKET	125GDH4BNBJSWB	125	55		135x110	105x80	12	55	166	310
		150GDH4BNBJSWB	150	55		135x110	105x80	12	55	194	350
		160GDH4BNBSWB	160	45		135x110	105x80	12	55	199	350
		200GDH4BNBJSWB	200	45		135x110	105x80	12	55	239	400
100DRH4BNBSWB	100	36		105x85	80x60	9	39	128	200		
125DRH4BNBSWB	125	36		105x85	80x60	9	44	152	250		
	DRHBN BOLT HOLE										
	100DRHBH12BNB	100	36				12.1	39	128	200	
125DRHBH12BNB	125	36				12.1	44	152	250		
	DRHBN BOLT HOLE BRAKED										
	100DRHBH12BNBSWB	100	36				12.1	39	128	200	
125DRHBH12BNBSWB	125	36				12.1	44	152	250		

EXPANDERS



DIRECTIONAL LOCK



Only Gold swivel castors.

INDUSTRIAL

SERIES: DRH/GDHEA

BRACKET: **HEAVY PRESSED STEEL**
 WHEEL: **ELASTIC RUBBER**
 ON **ALUMINIUM CENTRE**
 BEARING: **BALL BEARING**



MEDIUM / HEAVY



DRHEA SWIVEL

COLD BRACKET										
125GDH4EABJ	125	50		135x110	105x80	12	55	166	250	
150GDH4EABJ	150	50		135x110	105x80	12	55	194	300	
160GDH4EABJ	160	50		135x110	105x80	12	55	199	350	
200GDH4EABJ	200	50		135x110	105x80	12	55	239	450	
250GDH4EABJ	250	50		135x110	105x80	12	55	291	500	
100DRH4EABJ	100	40		105x85	80x60	12	39	128	180	
125DRH4EABJ	125	38		105x85	80x60	12	44	152	200	



DRHEA FIXED

COLD BRACKET										
125GDH8EABJ	125	50		135x110	105x80	12		166	250	
150GDH8EABJ	150	50		135x110	105x80	12		194	300	
160GDH8EABJ	160	50		135x110	105x80	12		199	350	
200GDH8EABJ	200	50		135x110	105x80	12		239	450	
250GDH8EABJ	250	50		135x110	105x80	12		291	500	
100DRH8EABJ	100	40		105x85	80x60			128	180	
125DRH8EABJ	125	38		105x85	80x60			152	200	



DRHEA BRAKED

COLD BRACKET										
125GDH4EABJSWB	125	50		135x110	105x80	12	55	166	250	
150GDH4EABJSWB	150	50		135x110	105x80	12	55	194	300	
160GDH4EABJSWB	160	50		135x110	105x80	12	55	199	350	
200GDH4EABJSWB	200	50		135x110	105x80	12	55	239	450	
250GDH4EABJSWB	250	50		135x110	105x80	12	55	291	500	
100DRH4EABJSWB	100	40		105x85	80x60	12	39	128	180	
125DRH4EABJSWB	125	38		105x85	80x60	12	44	152	200	



DRHEA BOLT HOLE

100DRHBH12EABJ	100	40				12.1	39	128	180
125DRHBH12EABJ	125	38				12.1	44	152	200



DRHEA BOLT HOLE BRAKED

100DRHBH12EABJSWB	100	40				12.1	39	128	180
125DRHBH12EABJSWB	125	38				12.1	44	152	200

EXPANDERS



DIRECTIONAL LOCK



Only Gold swivel castors.

INDUSTRIAL

SERIES: DRH/GDHRT

BRACKET: **HEAVY PRESSED STEEL**
 WHEEL: **ELASTIC RUBBER**
 ON **CAST IRON CENTRE**
 BEARING: **BALL BEARING**



MEDIUM / HEAVY



DRHRT SWIVEL										
GOLD BRACKET										
125GDH4RTBJ	125	50		135x110	105x80	12	55	166	275	
150GDH4RTBJ	150	50		135x110	105x80	12	55	194	400	
200GDH4RTBJ	200	50		135x110	105x80	12	55	239	600	
250GDH4RTBJ	250	50		135x110	105x80	12	55	291	700	
100DRH4RTBJ	100	38		105x85	80x60	9	39	128	180	
125DRH4RTBJ	125	38		105x85	80x60	9	44	152	190	



DRHRT FIXED									
GOLD BRACKET									
125GDH8RTBJ	125	50		135x110	105x80	12		166	275
150GDH8RTBJ	150	50		135x110	105x80	12		194	400
200GDH8RTBJ	200	50		135x110	105x80	12		239	600
250GDH8RTBJ	250	50		135x110	105x80	12		291	700
100DRH8RTBJ	100	38		105x85	80x60	9		128	180
125DRH8RTBJ	125	38		105x85	80x60	9		152	190



DRHRT BRAKED									
GOLD BRACKET									
125GDH4RTBJSWB	125	50		135x110	105x80	12	55	166	275
150GDH4RTBJSWB	150	50		135x110	105x80	12	55	194	400
200GDH4RTBJSWB	200	50		135x110	105x80	12	55	239	600
250GDH4RTBJSWB	250	50		135x110	105x80	12	55	291	700
100DRH4RTBJSWB	100	38		105x85	80x60	9	39	128	180
125DRH4RTBJSWB	125	38		105x85	80x60	9	44	152	190



DRHRT BOLT HOLE									
100DRHBH12RTBJ	100	38				12.1	39	128	180
125DRHBH12RTBJ	125	38				12.1	44	152	190



DRHRT BOLT HOLE BRAKED									
100DRHBH12RTBJSWB	100	38				12.1	39	128	180
125DRHBH12RTBJSWB	125	38				12.1	44	152	190

EXPANDERS



DIRECTIONAL LOCK



Only Gold swivel castors.

INDUSTRIAL

SERIES: DRH/GDHCI

BRACKET: **HEAVY PRESSED STEEL**
 WHEEL: **CAST IRON**
 BEARING: **BALL BEARING**



MEDIUM / HEAVY



DRHCI SWIVEL										
GOLD BRACKET 125GDH4CIBJ	125	40		135x110	105x80	12	55	166	650	
150GDH4CIBJ	150	45		135x110	105x80	12	55	194	800	
200GDH4CIBJ	200	45		135x110	105x80	12	55	239	800	
250GDH4CIBJ	250	50		135x110	105x80	12	55	291	800	
100DRH4CIBJ	100	35		105x85	80x60	9	39	128	300	
125DRH4CIBJ	125	35		105x85	80x60	9	44	152	350	



DRHCI FIXED									
GOLD BRACKET 125GDH8CIBJ	125	40		135x110	105x80	12		166	650
150GDH8CIBJ	150	45		135x110	105x80	12		194	800
200GDH8CIBJ	200	45		135x110	105x80	12		239	800
250GDH8CIBJ	250	50		135x110	105x80	12		291	800
100DRH8CIBJ	100	35		105x85	80x60	9		128	300
125DRH8CIBJ	125	35		105x85	80x60	9		152	350



DRHCI BRAKED									
GOLD BRACKET 125GDH4CIBJSWB	125	40		135x110	105x80	12	55	166	650
150GDH4CIBJSWB	150	45		135x110	105x80	12	55	194	800
200GDH4CIBJSWB	200	45		135x110	105x80	12	55	239	800
250GDH4CIBJSWB	250	50		135x110	105x80	12	55	291	800
100DRH4CIBJSWB	100	35		105x85	80x60	9	39	128	300
125DRH4CIBJSWB	125	35		105x85	80x60	9	44	152	350



DRHCI BOLT HOLE										
100DRHBH12CIBJ	100	35					12.1	39	128	300
125DRHBH12CIBJ	125	35					12.1	44	152	350



DRHCI BOLT HOLE BRAKED										
100DRHBH12CIBJSWB	100	35					12.1	39	128	300
125DRHBH12CIBJSWB	125	35					12.1	44	152	350



Only Gold swivel castors.

Only on 100 mm castors.

INDUSTRIAL


SERIES: DRH/GDHPN

BRACKET: **HEAVY PRESSED STEEL**
 WHEEL: **POLYURETHANE ON NYLON CENTRE**
 BEARING: **BALL BEARING**



MEDIUM / HEAVY

Image	DRHPN		Icon 1	Icon 2	Icon 3	Icon 4	Icon 5	Icon 6	Icon 7	Icon 8	Icon 9	KG
	SWIVEL											
	GOLD BRACKET											
	125GDH4PNBJ	125	50		135x110	105x80	12	55	166	340		
	150GDH4PNBJ	150	50		135x110	105x80	12	55	194	430		
	200GDH4PNBJ	200	50		135x110	105x80	12	55	239	500		
	100DRH4PNBJ	100	38		105x85	80x60	9	39	128	250		
125DRH4PNBJ	125	38		105x85	80x60	9	44	152	280			
	DRHPN		Icon 1	Icon 2	Icon 3	Icon 4	Icon 5	Icon 6	Icon 7	Icon 8	Icon 9	KG
	FIXED											
	GOLD BRACKET											
	125GDH8PNBJ	125	50		135x110	105x80	12		166	340		
	150GDH8PNBJ	150	50		135x110	105x80	12		194	430		
200GDH8PNBJ	200	50		135x110	105x80	12		239	500			
100DRH8PNBJ	100	38		105x85	80x60	9		128	250			
125DRH8PNBJ	125	38		105x85	80x60	9		152	280			
	DRHPN		Icon 1	Icon 2	Icon 3	Icon 4	Icon 5	Icon 6	Icon 7	Icon 8	Icon 9	KG
	BRAKED											
	GOLD BRACKET											
	125GDH4PNBJSWB	125	50		135x110	105x80	12	55	166	340		
	150GDH4PNBJSWB	150	50		135x110	105x80	12	55	194	430		
200GDH4PNBJSWB	200	50		135x110	105x80	12	55	239	500			
100DRH4PNBJSWB	100	38		105x85	80x60	9	39	128	250			
125DRH4PNBJSWB	125	38		105x85	80x60	9	44	152	280			
	DRHPN		Icon 1	Icon 2	Icon 3	Icon 4	Icon 5	Icon 6	Icon 7	Icon 8	Icon 9	KG
	BOLT HOLE											
	100DRHBH12PNBJ	100	38					12.1	39	128	250	
125DRHBH12PNBJ	125	38					12.1	44	152	280		
	DRHPN		Icon 1	Icon 2	Icon 3	Icon 4	Icon 5	Icon 6	Icon 7	Icon 8	Icon 9	KG
	BOLT HOLE BRAKED											
	100DRHBH12PNBJSWB	100	38					12.1	39	128	250	
125DRHBH12PNBJSWB	125	38					12.1	44	152	280		



Only Gold swivel castors.

INDUSTRIAL

SERIES: GDHPX

BRACKET: **HEAVY PRESSED STEEL**
 WHEEL: **POLYURETHANE**
ON NYLON CENTRE
 BEARING: **BALL BEARING**



MEDIUM / HEAVY



GDHPX SWIVEL

GOLO BRACKET	Ø	W	B	Ø	Ø	Ø	Ø	Ø	KG
125GDH4PXB	125	50	3	135x110	105x80	12	55	166	380
150GDH4PXB	150	50	3	135x110	105x80	12	55	194	500
200GDH4PXB	200	50	3	135x110	105x80	12	55	239	600



GDHPX FIXED

GOLO BRACKET	Ø	W	B	Ø	Ø	Ø	Ø	Ø	KG
125GDH8PXB	125	50	3	135x110	105x80	12		166	380
150GDH8PXB	150	50	3	135x110	105x80	12		194	500
200GDH8PXB	200	50	3	135x110	105x80	12		239	600



GDHPX BRAKED

GOLO BRACKET	Ø	W	B	Ø	Ø	Ø	Ø	Ø	KG
125GDH4PXBJSWB	125	50	3	135x110	105x80	12	55	166	380
150GDH4PXBJSWB	150	50	3	135x110	105x80	12	55	194	500
200GDH4PXBJSWB	200	50	3	135x110	105x80	12	55	239	600

DIRECTIONAL LOCK

AVAILABLE



Only Gold swivel castors.

INDUSTRIAL

SERIES: GDHOPU

BRACKET: **HEAVY PRESSED STEEL**
 WHEEL: **POLYURETHANE ON NYLON CENTRE**
 BEARING: **BALL BEARING**



MEDIUM / HEAVY



GDHOPU SWIVEL

GOLD BRACKET										
125GDH40PUBJ	125	50		135x110	105x80	11	55	166	250	
150GDH40PUBJ	150	50		135x110	105x80	11	55	194	300	
200GDH40PUBJ	200	50		135x110	105x80	11	55	239	400	



GDHOPU FIXED

GOLD BRACKET										
125GDH80PUBJ	125	50		135x110	105x80	11		166	250	
150GDH80PUBJ	150	50		135x110	105x80	11		194	300	
200GDH80PUBJ	200	50		135x110	105x80	11		239	400	



GDHOPU BRAKED

GOLD BRACKET										
125GDH40PUBJSWB	125	50		135x110	105x80	11	55	166	250	
150GDH40PUBJSWB	150	50		135x110	105x80	11	55	194	300	
200GDH40PUBJSWB	200	50		135x110	105x80	11	55	239	400	

DIRECTIONAL LOCK

AVAILABLE



Only Gold swivel castors.

INDUSTRIAL

SERIES: DRHEPN

BRACKET: **HEAVY PRESSED STEEL**
 WHEEL: **ELASTIC POLYURETHANE**
 ON **NYLON CENTRE**
 BEARING: **BALL BEARING**



MEDIUM / HEAVY



DRHEPN										
SWIVEL										
100DRH4EPNBJ	100	38		105x85	80x60	9	39	128	250	KG
125DRH4EPNBJ	125	38		105x85	80x60	9	44	152	280	KG



DRHEPN										
FIXED										
100DRH8EPNBJ	100	38		105x85	80x60	9		128	250	KG
125DRH8EPNBJ	125	38		105x85	80x60	9		152	280	KG



DRHEPN										
BRAKED										
100DRH4EPNBSWB	100	38		105x85	80x60	9	39	128	250	KG
125DRH4EPNBSWB	125	38		105x85	80x60	9	44	152	280	KG



DRHEPN										
BOLT HOLE										
100DRHBH12EPNBJ	100	38					12.1	39	128	250
125DRHBH12EPNBJ	125	38					12.1	44	152	280



DRHEPN										
BOLT HOLE BRAKED										
100DRHBH12EPNBSWB	100	38					12.1	39	128	250
125DRHBH12EPNBSWB	125	38					12.1	44	152	280

EXPANDERS

AVAILABLE

PAGE
148

INDUSTRIAL

SERIES: DRH/GDHPT

BRACKET: HEAVY PRESSED STEEL
WHEEL: POLYURETHANE
ON CAST IRON CENTRE
BEARING: BALL BEARING



MEDIUM / HEAVY



DRHPT SWIVEL										
GOLD BRACKET	125GDH4PTBJ	125	50		135x110	105x80	12	55	166	550
	150GDH4PTBJ	150	50		135x110	105x80	12	55	194	800
	200GDH4PTBJ	200	50		135x110	105x80	12	55	239	800
	250GDH4PTBJ	250	50		135x110	105x80	12	55	291	800
	100DRH4PTBJ	100	38		105x85	80x60	9	39	128	300
	125DRH4PTBJ	125	38		105x85	80x60	9	44	152	350



DRHPT FIXED										
GOLD BRACKET	125GDH8PTBJ	125	50		135x110	105x80	12		166	550
	150GDH8PTBJ	150	50		135x110	105x80	12		194	800
	200GDH8PTBJ	200	50		135x110	105x80	12		239	800
	250GDH8PTBJ	250	50		135x110	105x80	12		291	800
	100DRH8PTBJ	100	38		105x85	80x60	9		128	300
	125DRH8PTBJ	125	38		105x85	80x60	9		152	350



DRHPT BRAKED										
GOLD BRACKET	125GDH4PTBJSWB	125	50		135x110	105x80	12	55	166	550
	150GDH4PTBJSWB	150	50		135x110	105x80	12	55	194	800
	200GDH4PTBJSWB	200	50		135x110	105x80	12	55	239	800
	250GDH4PTBJSWB	250	50		135x110	105x80	12	55	291	800
	100DRH4PTBJSWB	100	38		105x85	80x60	9	39	128	300
	125DRH4PTBJSWB	125	38		105x85	80x60	9	44	152	350



DRHPT BOLT HOLE										
	100DRHBH12PTBJ	100	38				12.1	39	128	300
	125DRHBH12PTBJ	125	38				12.1	44	152	350



DRHPT BOLT HOLE BRAKED										
	100DRHBH12PTBJSWB	100	38				12.1	39	128	300
	125DRHBH12PTBJSWB	125	38				12.1	44	152	350

EXPANDERS



DIRECTIONAL LOCK



Only Gold swivel castors.

INDUSTRIAL

SERIES: GDHPTRP

BRACKET: HEAVY PRESSED STEEL
 WHEEL: ROUND PROFILE POLYURETHANE
 ON CAST IRON CENTRE
 BEARING: BALL BEARING



MEDIUM / HEAVY



GDHPTRP

SWIVEL

GOLD BRACKET

125GDH4PTBJRP	125	50		135x110	105x80	12	55	166	400	
150GDH4PTBJRP	150	50		135x110	105x80	12	55	194	650	
200GDH4PTBJRP	200	50		135x110	105x80	12	55	239	800	



GDHPTRP

FIXED

GOLD BRACKET

125GDH8PTBJRP	125	50		135x110	105x80	12		166	400
150GDH8PTBJRP	150	50		135x110	105x80	12		194	650
200GDH8PTBJRP	200	50		135x110	105x80	12		239	800



GDHPTRP

BRAKED

GOLD BRACKET

125GDH4PTBJRPSWB	125	50		135x110	105x80	12	55	166	400
150GDH4PTBJRPSWB	150	50		135x110	105x80	12	55	194	650
200GDH4PTBJRPSWB	200	50		135x110	105x80	12	55	239	800

DIRECTIONAL LOCK

AVAILABLE



Only Gold swivel castors.



INDUSTRIAL

SERIES: DRH/GDHPTA

BRACKET: **HEAVY PRESSED STEEL**
 WHEEL: **POLYURETHANE**
 ON **ALUMINIUM CENTRE**
 BEARING: **BALL BEARING**

MEDIUM / HEAVY



DRHPTA													
SWIVEL													KG
GOLD BRACKET	125GDH4PTABJ	125	50		135x110	105x80	12	55	166	450			
	150GDH4PTABJ	150	50		135x110	105x80	12	55	194	550			
	160GDH4PTABJ	160	50		135x110	105x80	12	55	199	600			
	200GDH4PTABJ	200	50		135x110	105x80	12	55	239	800			
	100DRH4PTABJ	100	40		105x85	80x60	9	39	128	250			
	125DRH4PTABJ	125	40		105x85	80x60	9	44	152	300			



DRHPTA													
FIXED													KG
GOLD BRACKET	125GDH8PTABJ	125	50		135x110	105x80	12		166	450			
	150GDH8PTABJ	150	50		135x110	105x80	12		194	550			
	160GDH8PTABJ	160	50		135x110	105x80	12		199	600			
	200GDH8PTABJ	200	50		135x110	105x80	12		239	800			
	100DRH8PTABJ	100	40		105x85	80x60	9		128	250			
	125DRH8PTABJ	125	40		105x85	80x60	9		152	300			



DRHPTA													
BRAKED													KG
GOLD BRACKET	125GDH4PTABJSWB	125	50		135x110	105x80	12	55	166	450			
	150GDH4PTABJSWB	150	50		135x110	105x80	12	55	194	550			
	160GDH4PTABJSWB	160	50		135x110	105x80	12	55	199	600			
	200GDH4PTABJSWB	200	50		135x110	105x80	12	55	239	800			
	100DRH4PTABJSWB	100	40		105x85	80x60	9	39	128	250			
	125DRH4PTABJSWB	125	40		105x85	80x60	9	44	152	300			



DRHPTA													
BOLT HOLE													KG
	100DRHBH12PTABJ	100	40					12	39	128	250		
	125DRHBH12PTABJ	125	40					12	44	152	300		



DRHPTA													
BOLT HOLE BRAKED													KG
	100DRHBH12PTABJSWB	100	40					12	39	128	250		
	125DRHBH12PTABJSWB	125	40					12	44	152	300		



Only Gold swivel castors.

INDUSTRIAL

SERIES: DRH/GDHEPA

BRACKET: HEAVY PRESSED STEEL
 WHEEL: ELASTIC POLYURETHANE
 ON ALUMINIUM CENTRE
 BEARING: BALL BEARING


Elast
Prene



MEDIUM / HEAVY



DRHEPA										
SWIVEL										
GOLD BRACKET	160GDH4EPABJ	160	50		135x110	105x80	12	55	199	600
	200GDH4EPABJ	200	50		135x110	105x80	12	55	239	800
	100DRH4EPABJ	100	40		105x85	80x60	9	39	128	300
	125DRH4EPABJ	125	40		105x85	80x60	9	44	152	350



DRHEPA										
FIXED										
GOLD BRACKET	160GDH8EPABJ	160	50		135x110	105x80	12		199	600
	200GDH8EPABJ	200	50		135x110	105x80	12		239	800
	100DRH8EPABJ	100	40		105x85	80x60	9		128	300
	125DRH8EPABJ	125	40		105x85	80x60	9		152	350



DRHEPA										
BRAKED										
GOLD BRACKET	160GDH4EPABJSWB	160	50		135x110	105x80	12	55	199	600
	200GDH4EPABJSWB	200	50		135x110	105x80	12	55	239	800
	100DRH4EPABJSWB	100	40		105x85	80x60	9	39	128	300
	125DRH4EPABJSWB	125	40		105x85	80x60	9	44	152	350



DRHEPA										
BOLT HOLE										
	100DRHBH12EPABJ	100	40				12	39	128	300
	125DRHBH12EPABJ	125	40				12	44	152	350



DRHEPA										
BOLT HOLE BRAKED										
	100DRHBH12EPABJSWB	100	40				12	39	128	300
	125DRHBH12EPABJSWB	125	40				12	44	152	350



Only Gold swivel castors.

INDUSTRIAL

SERIES: HSL

BRACKET: **POWDER COATED STEEL**
 WHEEL: **NYLON GLASS FIBRE & SOLID URETHANE**
 BEARING: **BALL BEARING**



LEVELLING CASTOR



HSL										
SWIVEL										
50HSL4NY	50	24		70x70	58x58	6.5		82	200	
65HSL4NY	65	29		90x90	70x70	9		104	400	



HSL									
BOLT HOLE									
50HSLBH12NY	50	24				M12x1.75		82	200
65HSLBH12NY	65	29				M12x1.75		104	400



HSL									
SWIVEL									
50HSL4SU	50	24		70x70	58x58	6.5		82	200
65HSL4SU	65	29		90x90	70x70	9		104	400



HSL									
BOLT HOLE									
50HSLBH12SU	50	24				M12x1.75		82	200
65HSLBH12SU	65	29				M12x1.75		104	400

MEDIUM / HEAVY

INDUSTRIAL

SERIES: GDNYLF / TL

BRACKET: **PRESSED STEEL**
 WHEEL: **NYLON**
 BEARING: **BALL BEARING**



MEDIUM / HEAVY

LEVELLING CASTOR



GDNYLF SWIVEL										
65GD4NYLF	65	43			120X120	98/93x 98/93	11	30	97	150
75GD4NYLF	75	45			120X120	98/93x 98/93	11	30	102	200



GDNYLF BOLT HOLE										
65GDBH13NYLF	65	43				13	30	94	150	
75GDBH13NYLF	75	45				13	30	99	200	




TRUCK LOCK


Our Truck locks are designed to enable a quick, free and easy change between locked and free movement modes. This is restored by the quick release pedal and moderate force. Our Truck Locks are of pressed steel with a zinc-plated finish.

TL					
TL4	125	151	120x120	85/100x 85/100	11
TL6	170	210	120x120	85/100x 85/100	11

USE AND OPERATION



01
 When retracted, the foot pitches upward in the direction of motion and contacts the wheel on a point. This ensures ramp clearance, impact resistance and the foot will not be damaged by the rotating wheel.




02
 The foot is adjusted downward until it touches the floor. Over a few turns, the weight will be fully transferred from the castor to the extended foot.

INDUSTRIAL

SERIES: NB2LL / HGDNY

BRACKET: HEAVY PRESSED STEEL
 WHEEL: POLYURETHANE ON CAST IRON CENTRE,
 STEEL AND NYLON WHEELS
 BEARING: PLAIN



LOW LEVEL CASTORS

POLYURETHANE ON
 CAST IRON CENTRE



NB2LL SWIVEL									
50NB2LLPT	50	14/14		95	51	6	12	64	160

STEEL



NB2LL SWIVEL									
50NB2LLST	50	14/14		95	51	6	12	64	270

NYLON



NB2LL SWIVEL									
50NB2LLNY	50	14/14		95	51	6	12	64	160

SCENE SHIFTERS



HIGH LOAD LOW LEVEL

BRACKET: FABRICATED WHEEL: SOLID NYLON BEARING: BALL BEARING



HGDNY SWIVEL									
75HGD4NYBJ	75	46		110x85	80x60	9	24.5	105	400



HGDNY FIXED									
75HGD8NYBJ	75	46		110x85	80x60	9		105	400

MEDIUM / HEAVY

INDUSTRIAL

SERIES: AGHWAPP

BRACKET: **FABRICATED**
 WHEEL: **NYLON**
 BEARING: **BALL BEARING**



MEDIUM / HEAVY



AGHWAPP

SWIVEL

100AGH4WAPPBJ	100	50		135x110	105x80	11	32	142	270	
125AGH4WAPPBJ	125	50		135x110	105x80	11	43	165	300	
150AGH4WAPPBJ	150	50		135x110	105x80	11	48	190	360	
200AGH4WAPPBJ	200	50		135x110	105x80	11	60	240	400	



AGHWAPP

FIXED

100AGH8WAPPBJ	100	50		135x110	105x80	11		142	270
125AGH8WAPPBJ	125	50		135x110	105x80	11		165	300
150AGH8WAPPBJ	150	50		135x110	105x80	11		190	360
200AGH8WAPPBJ	200	50		135x110	105x80	11		240	400



AGHWAPP

BRAKED

100AGH4WAPPBJSWB	100	50		135x110	105x80	11	32	142	270
125AGH4WAPPBJSWB	125	50		135x110	105x80	11	43	165	300
150AGH4WAPPBJSWB	150	50		135x110	105x80	11	48	190	360
200AGH4WAPPBJSWB	200	50		135x110	105x80	11	60	240	400

PLEASE NOTE: THIS IS A SWIVEL AND WHEEL BRAKE.
DIRECTIONAL LOCK AVAILABLE

INDUSTRIAL

SERIES: AGHOPU

BRACKET: **FABRICATED**
 WHEEL: **POLYURETHANE**
 ON **NYLON CENTRE**
 BEARING: **BALL BEARING**



MEDIUM / HEAVY



AGHOPU									
SWIVEL									
100AGH40PUBJ	100	50		135x110	105x80	11	32	142	220
125AGH40PUBJ	125	50		135x110	105x80	11	43	165	280
150AGH40PUBJ	150	50		135x110	105x80	11	48	190	350
200AGH40PUBJ	200	50		135x110	105x80	11	60	240	430



AGHOPU								
FIXED								
100AGH80PUBJ	100	50		135x110	105x80	11	142	220
125AGH80PUBJ	125	50		135x110	105x80	11	165	280
150AGH80PUBJ	150	50		135x110	105x80	11	190	350
200AGH80PUBJ	200	50		135x110	105x80	11	240	430




AGHOPU									
BRAKED									
100AGH40PUBJSWB	100	50		135x110	105x80	11	32	142	220
125AGH40PUBJSWB	125	50		135x110	105x80	11	43	165	280
150AGH40PUBJSWB	150	50		135x110	105x80	11	48	190	350
200AGH40PUBJSWB	200	50		135x110	105x80	11	60	240	430

PLEASE NOTE: THIS IS A SWIVEL AND WHEEL BRAKE.
DIRECTIONAL LOCK AVAILABLE

INDUSTRIAL

SERIES: AGHIRPU

BRACKET: **FABRICATED**
 WHEEL: **POLYURETHANE**
 ON **CAST IRON CENTRE**
 BEARING: **BALL BEARING**



MEDIUM / HEAVY



AGHIRPU										
SWIVEL										
100AGH4IRPU	100	50		135x110	105x80	11	32	142	260	
125AGH4IRPU	125	50		135x110	105x80	11	43	165	360	
150AGH4IRPU	150	50		135x110	105x80	11	48	190	400	
200AGH4IRPU	200	50		135x110	105x80	11	60	240	450	



AGHIRPU									
FIXED									
100AGH8IRPU	100	50		135x110	105x80	11		142	260
125AGH8IRPU	125	50		135x110	105x80	11		165	360
150AGH8IRPU	150	50		135x110	105x80	11		190	400
200AGH8IRPU	200	50		135x110	105x80	11		240	450



AGHIRPU									
BRAKED									
100AGH4IRPUSWB	100	50		135x110	105x80	11	32	142	260
125AGH4IRPUSWB	125	50		135x110	105x80	11	43	165	360
150AGH4IRPUSWB	150	50		135x110	105x80	11	48	190	400
200AGH4IRPUSWB	200	50		135x110	105x80	11	60	240	450

PLEASE NOTE: THIS IS A SWIVEL AND WHEEL BRAKE.
DIRECTIONAL LOCK AVAILABLE

INDUSTRIAL

SERIES: LMHNY

BRACKET: **FABRICATED**
 WHEEL: **NYLON**
 BEARING: **BALL BEARING**



MEDIUM / HEAVY



LMHNY										
SWIVEL										
100LMH4NYBJ	100	40		135x110	105x80	11	33	140	450	
125LMH4NYBJ	125	45		135x110	105x80	11	40	165	500	
150LMH4NYBJ	150	45		135x110	105x80	11	45	190	500	
200LMH4NYBJ	200	50		135x110	105x80	11	54	241	500	



LMHNY										
FIXED										
100LMH8NYBJ	100	40		135x110	105x80	11		140	450	
125LMH8NYBJ	125	45		135x110	105x80	11		165	500	
150LMH8NYBJ	150	45		135x110	105x80	11		190	500	
200LMH8NYBJ	200	50		135x110	105x80	11		241	500	



LMHNY										
BRAKED										
100LMH4NYBJBK	100	40		135x110	105x80	11	33	140	450	
125LMH4NYBJBK	125	45		135x110	105x80	11	40	165	500	
150LMH4NYBJBK	150	45		135x110	105x80	11	45	190	500	
200LMH4NYBJBK	200	50		135x110	105x80	11	54	241	500	

PLEASE NOTE: THIS BRAKED CASTOR IS A WHEEL BRAKE ONLY.
DIRECTIONAL LOCK AVAILABLE

INDUSTRIAL

SERIES: LMHBN

BRACKET: **FABRICATED**
 WHEEL: **ELASTIC NON-MARKING**
RUBBER ON NYLON CENTRE
 BEARING: **BALL BEARING**



MEDIUM / HEAVY



LMHBN										
SWIVEL										
100LMH4BNBJ	100	36		135x110	105x80	11	33	140	280	
125LMH4BNBJ	125	34		135x110	105x80	11	40	165	310	
150LMH4BNBJ	150	45		135x110	105x80	11	45	190	350	
200LMH4BNBJ	200	50		135x110	105x80	11	54	241	425	



LMHBN									
FIXED									
100LMH8BNBJ	100	36		135x110	105x80	11		140	280
125LMH8BNBJ	125	34		135x110	105x80	11		165	310
150LMH8BNBJ	150	45		135x110	105x80	11		190	350
200LMH8BNBJ	200	50		135x110	105x80	11		241	425



LMHBN									
BRAKED									
100LMH4BNBJBK	100	36		135x110	105x80	11	33	140	280
125LMH4BNBJBK	125	34		135x110	105x80	11	40	165	310
150LMH4BNBJBK	150	45		135x110	105x80	11	45	190	350
200LMH4BNBJBK	200	50		135x110	105x80	11	54	241	425

PLEASE NOTE: THIS BRAKED CASTOR IS A WHEEL BRAKE ONLY.
DIRECTIONAL LOCK AVAILABLE

INDUSTRIAL

SERIES: LMHEA

BRACKET: **FABRICATED**
 WHEEL: **ELASTIC RUBBER**
 ON **ALUMINIUM CENTRE**
 BEARING: **BALL BEARING**



MEDIUM / HEAVY



LMHEA									
SWIVEL									
100LMH4EABJ	100	50		135x110	105x80	11	33	140	220
125LMH4EABJ	125	50		135x110	105x80	11	40	165	250
150LMH4EABJ	150	50		135x110	105x80	11	45	190	300
160LMH4EABJ	160	50		135x110	105x80	11	45	195	350
200LMH4EABJ	200	50		135x110	105x80	11	54	241	450



LMHEA								
FIXED								
100LMH8EABJ	100	50		135x110	105x80	11	140	220
125LMH8EABJ	125	50		135x110	105x80	11	165	250
150LMH8EABJ	150	50		135x110	105x80	11	190	300
160LMH8EABJ	160	50		135x110	105x80	11	195	350
200LMH8EABJ	200	50		135x110	105x80	11	241	450



LMHEA									
BRAKED									
100LMH4EABJK	100	50		135x110	105x80	11	33	140	220
125LMH4EABJK	125	50		135x110	105x80	11	40	165	250
150LMH4EABJK	150	50		135x110	105x80	11	45	190	300
160LMH4EABJK	160	50		135x110	105x80	11	45	195	350
200LMH4EABJK	200	50		135x110	105x80	11	54	241	450

PLEASE NOTE: THIS BRAKED CASTOR IS A WHEEL BRAKE ONLY.
DIRECTIONAL LOCK AVAILABLE

INDUSTRIAL

SERIES: LMHRT

BRACKET: **FABRICATED**
 WHEEL: **ELASTIC RUBBER**
 ON **CAST IRON CENTRE**
 BEARING: **BALL BEARING**



MEDIUM / HEAVY



LMHRT SWIVEL										
100LMH4RTBJ	100	50		135x110	105x80	11	33	140	210	
125LMH4RTBJ	125	50		135x110	105x80	11	40	165	275	
150LMH4RTBJ	150	50		135x110	105x80	11	45	190	400	
200LMH4RTBJ	200	50		135x110	105x80	11	54	241	500	



LMHRT FIXED										
100LMH8RTBJ	100	50		135x110	105x80	11		140	210	
125LMH8RTBJ	125	50		135x110	105x80	11		165	275	
150LMH8RTBJ	150	50		135x110	105x80	11		190	400	
200LMH8RTBJ	200	50		135x110	105x80	11		241	500	



LMHRT BRAKED										
100LMH4RTBJBK	100	50		135x110	105x80	11	33	140	210	
125LMH4RTBJBK	125	50		135x110	105x80	11	40	165	275	
150LMH4RTBJBK	150	50		135x110	105x80	11	45	190	400	
200LMH4RTBJBK	200	50		135x110	105x80	11	54	241	500	

PLEASE NOTE: THIS BRAKED CASTOR IS A WHEEL BRAKE ONLY.
DIRECTIONAL LOCK AVAILABLE

INDUSTRIAL

SERIES: LMHCI

BRACKET: **FABRICATED**
 WHEEL: **CAST IRON**
 BEARING: **BALL BEARING**



MEDIUM / HEAVY



LMHCI SWIVEL										
100LMH4CIBJ	100	50		135x110	105x80	11	33	140	450	
125LMH4CIBJ	125	40		135x110	105x80	11	40	165	500	
150LMH4CIBJ	150	45		135x110	105x80	11	45	190	500	
200LMH4CIBJ	200	45		135x110	105x80	11	54	241	500	



LMHCI FIXED									
100LMH8CIBJ	100	50		135x110	105x80	11		140	450
125LMH8CIBJ	125	40		135x110	105x80	11		165	500
150LMH8CIBJ	150	45		135x110	105x80	11		190	500
200LMH8CIBJ	200	45		135x110	105x80	11		241	500




LMHCI BRAKED									
100LMH4CIBJBK	100	50		135x110	105x80	11	33	140	450
125LMH4CIBJBK	125	40		135x110	105x80	11	40	165	500
150LMH4CIBJBK	150	45		135x110	105x80	11	45	190	500
200LMH4CIBJBK	200	45		135x110	105x80	11	54	241	500

PLEASE NOTE: THIS BRAKED CASTOR IS A WHEEL BRAKE ONLY.
DIRECTIONAL LOCK AVAILABLE

INDUSTRIAL

SERIES: LMHWAN

BRACKET: **FABRICATED**
 WHEEL: **PHENOLIC 120°C**
 BEARING: **ROLLER**



MEDIUM / HEAVY



LMHWAN SWIVEL									
150LMH4WAN 120	150	50		135x110	105x80	11	45	190	400
200LMH4WAN 120	200	50		135x110	105x80	11	54	241	500



LMHWAN FIXED									
150LMH8WAN 120	150	50		135x110	105x80	11		190	400
200LMH8WAN 120	200	50		135x110	105x80	11		241	500



LMHWAN BRAKED									
150LMH4WANBK 120	150	50		135x110	105x80	11	45	190	400
200LMH4WANBK 120	200	50		135x110	105x80	11	54	241	500

PLEASE NOTE: THIS BRAKED CASTOR IS A WHEEL BRAKE ONLY.
DIRECTIONAL LOCK AVAILABLE

INDUSTRIAL

SERIES: LMHWAN300

BRACKET: **FABRICATED**
 WHEEL: **PHENOLIC 300°C**
 BEARING: **ROLLER**



MEDIUM / HEAVY



LMHWAN300 SWIVEL									
150LMH4WAN 300	150	50		135x110	105x80	11	45	190	400
200LMH4WAN 300	200	50		135x110	105x80	11	54	241	500



LMHWAN300 FIXED									
150LMH8WAN 300	150	50		135x110	105x80	11		190	400
200LMH8WAN 300	200	50		135x110	105x80	11		241	500



LMHWAN300 BRAKED									
150LMH4WANBK 300	150	50		135x110	105x80	11	45	190	400
200LMH4WANBK 300	200	50		135x110	105x80	11	54	241	500

PLEASE NOTE: THIS BRAKED CASTOR IS A WHEEL BRAKE ONLY.
DIRECTIONAL LOCK AVAILABLE

INDUSTRIAL

SERIES: LMHPN

BRACKET: **FABRICATED**
 WHEEL: **POLYURETHANE**
 ON **NYLON CENTRE**
 BEARING: **BALL BEARING**



MEDIUM / HEAVY



LMHPN										
SWIVEL										
100LMH4PNBJ	100	50		135x110	105x80	11	33	140	280	
125LMH4PNBJ	125	50		135x110	105x80	11	40	165	340	
150LMH4PNBJ	150	50		135x110	105x80	11	45	190	430	
200LMH4PNBJ	200	50		135x110	105x80	11	54	241	500	



LMHPN									
FIXED									
100LMH8PNBJ	100	50		135x110	105x80	11		140	280
125LMH8PNBJ	125	50		135x110	105x80	11		165	340
150LMH8PNBJ	150	50		135x110	105x80	11		190	430
200LMH8PNBJ	200	50		135x110	105x80	11		241	500



LMHPN									
BRAKED									
100LMH4PNBJBK	100	50		135x110	105x80	11	33	140	280
125LMH4PNBJBK	125	50		135x110	105x80	11	40	165	340
150LMH4PNBJBK	150	50		135x110	105x80	11	45	190	430
200LMH4PNBJBK	200	50		135x110	105x80	11	54	241	500

PLEASE NOTE: THIS BRAKED CASTOR IS A WHEEL BRAKE ONLY.
DIRECTIONAL LOCK AVAILABLE










































INDUSTRIAL

SERIES: LMHPX

BRACKET: **FABRICATED**
 WHEEL: **POLYURETHANE**
 ON **NYLON** CENTRE
 BEARING: **BALL BEARING**



MEDIUM / HEAVY

	LMHPX SWIVEL									
	100LMH4PXB J	100	50		135x110	105x80	11	33	140	300
	125LMH4PXB J	125	50		135x110	105x80	11	40	165	380
	150LMH4PXB J	150	50		135x110	105x80	11	45	190	500
	200LMH4PXB J	200	50		135x110	105x80	11	54	241	500
	LMHPX FIXED									
	100LMH8PXB J	100	50		135x110	105x80	11		140	300
	125LMH8PXB J	125	50		135x110	105x80	11		165	380
	150LMH8PXB J	150	50		135x110	105x80	11		190	500
	200LMH8PXB J	200	50		135x110	105x80	11		241	500
	LMHPX BRAKED									
	100LMH4PXB JK	100	50		135x110	105x80	11	33	140	300
	125LMH4PXB JK	125	50		135x110	105x80	11	40	165	380
	150LMH4PXB JK	150	50		135x110	105x80	11	45	190	500
	200LMH4PXB JK	200	50		135x110	105x80	11	54	241	500

PLEASE NOTE: THIS BRAKED CASTOR IS A WHEEL BRAKE ONLY.
DIRECTIONAL LOCK AVAILABLE

INDUSTRIAL

SERIES: LMHOPU

BRACKET: **FABRICATED**
 WHEEL: **POLYURETHANE**
 ON **NYLON CENTRE**
 BEARING: **BALL BEARING**



MEDIUM / HEAVY



LMHOPU										
SWIVEL										
100LMH40PUBJ	100	50		135x110	105x80	11	33	140	200	
125LMH40PUBJ	125	50		135x110	105x80	11	40	165	250	
150LMH40PUBJ	150	50		135x110	105x80	11	45	190	300	
200LMH40PUBJ	200	50		135x110	105x80	11	54	241	400	



LMHOPU										
FIXED										
100LMH80PUBJ	100	50		135x110	105x80	11		140	200	
125LMH80PUBJ	125	50		135x110	105x80	11		165	250	
150LMH80PUBJ	150	50		135x110	105x80	11		190	300	
200LMH80PUBJ	200	50		135x110	105x80	11		241	400	



LMHOPU										
BRAKED										
100LMH40PUBJ BK	100	50		135x110	105x80	11	33	140	200	
125LMH40PUBJ BK	125	50		135x110	105x80	11	40	165	250	
150LMH40PUBJ BK	150	50		135x110	105x80	11	45	190	300	
200LMH40PUBJ BK	200	50		135x110	105x80	11	54	241	400	

PLEASE NOTE: THIS BRAKED CASTOR IS A WHEEL BRAKE ONLY.
DIRECTIONAL LOCK AVAILABLE

INDUSTRIAL

SERIES: LMHPT

BRACKET: **FABRICATED**
 WHEEL: **POLYURETHANE**
 ON **CAST IRON** CENTRE
 BEARING: **BALL BEARING**



LMHPT

SWIVEL

100LMH4PTBJ	100	50		135x110	105x80	11	33	140	450
125LMH4PTBJ	125	50		135x110	105x80	11	40	165	500
150LMH4PTBJ	150	50		135x110	105x80	11	45	190	500
200LMH4PTBJ	200	50		135x110	105x80	11	54	241	500



LMHPT

FIXED

100LMH8PTBJ	100	50		135x110	105x80	11	140	450
125LMH8PTBJ	125	50		135x110	105x80	11	165	500
150LMH8PTBJ	150	50		135x110	105x80	11	190	500
200LMH8PTBJ	200	50		135x110	105x80	11	241	500



LMHPT

BRAKED

100LMH4PTBJBK	100	50		135x110	105x80	11	33	140	450
125LMH4PTBJBK	125	50		135x110	105x80	11	40	165	500
150LMH4PTBJBK	150	50		135x110	105x80	11	45	190	500
200LMH4PTBJBK	200	50		135x110	105x80	11	54	241	500

PLEASE NOTE: THIS BRAKED CASTOR IS A WHEEL BRAKE ONLY.
DIRECTIONAL LOCK AVAILABLE

MEDIUM / HEAVY

INDUSTRIAL

SERIES: LMHPTRP

BRACKET: **FABRICATED**
 WHEEL: **ROUND PROFILE POLYURETHANE**
 ON **CAST IRON CENTRE**
 BEARING: **BALL BEARING**



MEDIUM / HEAVY



LMHPTRP

SWIVEL

100LMH4PTBJRP	100	50		135x110	105x80	11	33	143	350
125LMH4PTBJRP	125	50		135x110	105x80	11	40	165	400
150LMH4PTBJRP	150	50		135x110	105x80	11	45	190	500
200LMH4PTBJRP	200	50		135x110	105x80	11	54	241	500



LMHPTRP

FIXED

100LMH8PTBJRP	100	50		135x110	105x80	11		143	350
125LMH8PTBJRP	125	50		135x110	105x80	11		165	400
150LMH8PTBJRP	150	50		135x110	105x80	11		190	500
200LMH8PTBJRP	200	50		135x110	105x80	11		241	500



LMHPTRP

BRAKED

100LMH4PTBJRPBK	100	50		135x110	105x80	11	33	143	350
125LMH4PTBJRPBK	125	50		135x110	105x80	11	40	165	400
150LMH4PTBJRPBK	150	50		135x110	105x80	11	45	190	500
200LMH4PTBJRPBK	200	50		135x110	105x80	11	54	241	500

PLEASE NOTE: THIS BRAKED CASTOR IS A WHEEL BRAKE ONLY.
DIRECTIONAL LOCK AVAILABLE

INDUSTRIAL

SERIES: LMHPTA

BRACKET: **FABRICATED**
 WHEEL: **POLYURETHANE**
 ON **ALUMINIUM CENTRE**
 BEARING: **BALL BEARING**



MEDIUM / HEAVY



LMHPTA SWIVEL									
125LMH4PTABJ	125	50		135x110	105x80	11	40	165	450
150LMH4PTABJ	150	50		135x110	105x80	11	45	190	500
200LMH4PTABJ	200	50		135x110	105x80	11	54	241	500



LMHPTA FIXED								
125LMH8PTABJ	125	50		135x110	105x80	11	165	450
150LMH8PTABJ	150	50		135x110	105x80	11	190	500
200LMH8PTABJ	200	50		135x110	105x80	11	241	500



LMHPTA BRAKED									
125LMH4PTABJK	125	50		135x110	105x80	11	40	165	450
150LMH4PTABJK	150	50		135x110	105x80	11	45	190	500
200LMH4PTABJK	200	50		135x110	105x80	11	54	241	500

PLEASE NOTE: THIS BRAKED CASTOR IS A WHEEL BRAKE ONLY.
DIRECTIONAL LOCK AVAILABLE

INDUSTRIAL

SERIES: LMHEPA

BRACKET: **FABRICATED**
 WHEEL: **ELASTIC POLYURETHANE**
ON ALUMINIUM CENTRE
 BEARING: **BALL BEARING**

Elast
Prene



LMHEPA										
SWIVEL										
160LMH4EPABJ	160	50		135x110	105x80	11	45	195	500	500
200LMH4EPABJ	200	50		135x110	105x80	11	54	241	500	500



LMHEPA									
FIXED									
160LMH8EPABJ	160	50		135x110	105x80	11		195	500
200LMH8EPABJ	200	50		135x110	105x80	11		241	500



LMHEPA									
BRAKED									
160LMH4EPABJBK	160	50		135x110	105x80	11	45	195	500
200LMH4EPABJBK	200	50		135x110	105x80	11	54	241	500

PLEASE NOTE: THIS BRAKED CASTOR IS A WHEEL BRAKE ONLY.
DIRECTIONAL LOCK AVAILABLE



INDUSTRIAL

SERIES: LMHATM

BRACKET: **FABRICATED**
 WHEEL: **PNEUMATIC ON STEEL CENTRE**
 BEARING: **BALL BEARING**



LMHATM									
SWIVEL									
200LMH4ATM	200	56		136x110	105x80	13	53	240	136
260LMH4ATM	260	83		136x110	105x80	13	58	302	158
300LMH4ATM	300	83		136x110	105x80	13	80	387	204



LMHATM									
FIXED									
200LMH8ATM	200	56		136x110	105x80	13		240	136
260LMH8ATM	260	83		136x110	105x80	13		302	158
300LMH8ATM	300	83		136x110	105x80	13		387	204

MEDIUM / HEAVY

INDUSTRIAL

SERIES: LMHBNY

BRACKET: **FABRICATED**
 WHEEL: **NYLON**
 BEARING: **BALL BEARING**



MEDIUM / HEAVY



LMHBNY

SWIVEL

100LMHB4NYBJ	100	40		135x110	105x80	11	33	143	450	
125LMHB4NYBJ	125	45		135x110	105x80	11	40	165	500	
150LMHB4NYBJ	150	45		135x110	105x80	11	45	190	500	
200LMHB4NYBJ	200	50		135x110	105x80	11	54	240	500	



LMHBNY

FIXED

100LMHB8NYBJ	100	40		135x110	105x80	11		143	450
125LMHB8NYBJ	125	45		135x110	105x80	11		165	500
150LMHB8NYBJ	150	45		135x110	105x80	11		190	500
200LMHB8NYBJ	200	50		135x110	105x80	11		240	500



LMHBNY

BRAKED

100LMHB4NYBJSWB	100	40		135x110	105x80	11	33	143	450	
125LMHB4NYBJSWB	125	45		135x110	105x80	11	40	165	500	
150LMHB4NYBJSWB	150	45		135x110	105x80	11	45	190	500	
200LMHB4NYBJSWB	200	50		135x110	105x80	11	54	240	500	

INDUSTRIAL

SERIES: LMHBBN

BRACKET: **FABRICATED**
 WHEEL: **ELASTIC NON-MARKING RUBBER**
 ON **NYLON CENTRE**
 BEARING: **BALL BEARING**



LMHBBN									
SWIVEL									
100LMHB4BNBJ	100	36		135x110	105x80	11	33	143	280
125LMHB4BNBJ	125	40		135x110	105x80	11	40	165	310
150LMHB4BNBJ	150	45		135x110	105x80	11	45	190	350
200LMHB4BNBJ	200	50		135x110	105x80	11	54	241	425



LMHBBN								
FIXED								
100LMHB8BNBJ	100	36		135x110	105x80	11	143	280
125LMHB8BNBJ	125	40		135x110	105x80	11	165	310
150LMHB8BNBJ	150	45		135x110	105x80	11	190	350
200LMHB8BNBJ	200	50		135x110	105x80	11	241	425



LMHBBN									
BRAKED									
100LMHB4BNBJSWB	100	36		135x110	105x80	11	33	143	280
125LMHB4BNBJSWB	125	40		135x110	105x80	11	40	165	310
150LMHB4BNBJSWB	150	45		135x110	105x80	11	45	190	350
200LMHB4BNBJSWB	200	50		135x110	105x80	11	54	241	425

MEDIUM / HEAVY

INDUSTRIAL

SERIES: LMHBEA

BRACKET: **FABRICATED**
 WHEEL: **ELASTIC RUBBER**
 ON **ALUMINIUM CENTRE**
 BEARING: **BALL BEARING**



MEDIUM / HEAVY



LMHBEA										
SWIVEL										
100LMHB4EABJ	100	50			135x110	105x80	11	33	143	220
125LMHB4EABJ	125	50			135x110	105x80	11	40	165	250
150LMHB4EABJ	150	50			135x110	105x80	11	45	190	300
160LMHB4EABJ	160	50			135x110	105x80	11	45	195	350
200LMHB4EABJ	200	50			135x110	105x80	11	54	240	450



LMHBEA										
FIXED										
100LMHB8EABJ	100	50			135x110	105x80	11		143	220
125LMHB8EABJ	125	50			135x110	105x80	11		165	250
150LMHB8EABJ	150	50			135x110	105x80	11		190	300
160LMHB8EABJ	160	50			135x110	105x80	11		195	350
200LMHB8EABJ	200	50			135x110	105x80	11		240	450



LMHBEA										
BRAKED										
100LMHB4EABJSWB	100	50			135x110	105x80	11	33	143	220
125LMHB4EABJSWB	125	50			135x110	105x80	11	40	165	250
150LMHB4EABJSWB	150	50			135x110	105x80	11	45	190	300
200LMHB4EABJSWB	200	50			135x110	105x80	11	54	240	450



INDUSTRIAL

SERIES: LMHBRT

BRACKET: **FABRICATED**
 WHEEL: **ELASTIC RUBBER**
 ON **CAST IRON CENTRE**
 BEARING: **BALL BEARING**

MEDIUM / HEAVY



LMHBRT										
SWIVEL										
100LMHB4RTBJ	100	50		135x110	105x80	11	33	143	210	
125LMHB4RTBJ	125	50		135x110	105x80	11	40	165	275	
150LMHB4RTBJ	150	50		135x110	105x80	11	45	190	400	
200LMHB4RTBJ	200	50		135x110	105x80	11	54	241	500	



LMHBRT									
FIXED									
100LMHB8RTBJ	100	50		135x110	105x80	11		143	210
125LMHB8RTBJ	125	50		135x110	105x80	11		165	275
150LMHB8RTBJ	150	50		135x110	105x80	11		190	400
200LMHB8RTBJ	200	50		135x110	105x80	11		241	500



LMHBRT									
BRAKED									
100LMHB4RTBJSWB	100	50		135x110	105x80	11	33	143	210
125LMHB4RTBJSWB	125	50		135x110	105x80	11	40	165	275
150LMHB4RTBJSWB	150	50		135x110	105x80	11	45	190	400
200LMHB4RTBJSWB	200	50		135x110	105x80	11	54	241	500

INDUSTRIAL

SERIES: LMHBCI

BRACKET: **FABRICATED**
 WHEEL: **CAST IRON**
 BEARING: **BALL BEARING**



MEDIUM / HEAVY



LMHBCI

SWIVEL

100LMHB4CIBJ	100	50			135x110	105x80	11	33	143	450
125LMHB4CIBJ	125	40			135x110	105x80	11	40	165	500
150LMHB4CIBJ	150	45			135x110	105x80	11	45	190	500
200LMHB4CIBJ	200	45			135x110	105x80	11	54	240	500



LMHBCI

FIXED

100LMHB8CIBJ	100	50			135x110	105x80	11		143	450
125LMHB8CIBJ	125	40			135x110	105x80	11		165	500
150LMHB8CIBJ	150	45			135x110	105x80	11		190	500
200LMHB8CIBJ	200	45			135x110	105x80	11		240	500



LMHBCI

BRAKED

100LMHB4CIBJSWB	100	50			135x110	105x80	11	33	143	450
125LMHB4CIBJSWB	125	40			135x110	105x80	11	40	165	500
150LMHB4CIBJSWB	150	45			135x110	105x80	11	45	190	500
200LMHB4CIBJSWB	200	45			135x110	105x80	11	54	240	500

INDUSTRIAL

SERIES: LMHBWAN

BRACKET: **FABRICATED**
 WHEEL: **PHENOLIC 120**
 BEARING: **BALL BEARING**



LMHBWAN SWIVEL										
150LMHB4WAN 120	150	50		135x110	105x80	11	45	190	400	
200LMHB4WAN 120	200	50		135x110	105x80	11	54	240	500	



LMHBWAN FIXED									
150LMHB8WAN 120	150	50		135x110	105x80	11		190	400
200LMHB8WAN 120	200	50		135x110	105x80	11		240	500



LMHBWAN BRAKED									
150LMHB4WANSWB 120	150	50		135x110	105x80	11	45	190	400
200LMHB4WANSWB 120	200	50		135x110	105x80	11	54	240	500

AVAILABLE WITH 220°C WHEEL

MEDIUM / HEAVY

INDUSTRIAL

SERIES: LMHBPN

BRACKET: **FABRICATED**
 WHEEL: **POLYURETHANE**
 ON **NYLON CENTRE**
 BEARING: **BALL BEARING**



MEDIUM / HEAVY



LMHBPN

SWIVEL

100LMHB4PNBJ	100	50		135x110	105x80	11	33	143	280	280
125LMHB4PNBJ	125	50		135x110	105x80	11	40	165	340	340
150LMHB4PNBJ	150	50		135x110	105x80	11	45	190	430	430
200LMHB4PNBJ	200	50		135x110	105x80	11	54	240	500	500



LMHBPN

FIXED

100LMHB8PNBJ	100	50		135x110	105x80	11		143	280
125LMHB8PNBJ	125	50		135x110	105x80	11		165	340
150LMHB8PNBJ	150	50		135x110	105x80	11		190	430
200LMHB8PNBJ	200	50		135x110	105x80	11		240	500



LMHBPN

BRAKED

100LMHB4PNBJSWB	100	50		135x110	105x80	11	33	143	280
125LMHB4PNBJSWB	125	50		135x110	105x80	11	40	165	340
150LMHB4PNBJSWB	150	50		135x110	105x80	11	45	190	430
200LMHB4PNBJSWB	200	50		135x110	105x80	11	54	240	500

INDUSTRIAL

SERIES: LMHBPX

BRACKET: **FABRICATED**
 WHEEL: **POLYURETHANE**
 ON **NYLON** CENTRE
 BEARING: **BALL BEARING**



LMHBPX										
SWIVEL										
100LMHB4PXBJ	100	50		135x110	105x80	11	33	143	300	
125LMHB4PXBJ	125	50		135x110	105x80	11	40	165	380	
150LMHB4PXBJ	150	50		135x110	105x80	11	45	190	500	
200LMHB4PXBJ	200	50		135x110	105x80	11	54	240	500	



LMHBPX									
FIXED									
100LMHB8PXBJ	100	50		135x110	105x80	11	143	300	
125LMHB8PXBJ	125	50		135x110	105x80	11	165	380	
150LMHB8PXBJ	150	50		135x110	105x80	11	190	500	
200LMHB8PXBJ	200	50		135x110	105x80	11	240	500	



LMHBPX									
BRAKED									
100LMHB4PXBJSWB	100	50		135x110	105x80	11	33	143	300
125LMHB4PXBJSWB	125	50		135x110	105x80	11	40	165	380
150LMHB4PXBJSWB	150	50		135x110	105x80	11	45	190	500
200LMHB4PXBJSWB	200	50		135x110	105x80	11	54	240	500

MEDIUM / HEAVY

INDUSTRIAL

SERIES: LMHBOPU

BRACKET: **FABRICATED**
 WHEEL: **POLYURETHANE**
 ON **NYLON CENTRE**
 BEARING: **BALL BEARING**



MEDIUM / HEAVY



LMHBOPU

SWIVEL

100LMHB40PUBJ	100	50		135x110	105x80	11	33	143	280
125LMHB40PUBJ	125	50		135x110	105x80	11	40	165	340
150LMHB40PUBJ	150	50		135x110	105x80	11	45	190	430
200LMHB40PUBJ	200	50		135x110	105x80	11	54	240	500



LMHBOPU

FIXED

100LMHB80PUBJ	100	50		135x110	105x80	11	143	280
125LMHB80PUBJ	125	50		135x110	105x80	11	165	340
150LMHB80PUBJ	150	50		135x110	105x80	11	190	430
200LMHB80PUBJ	200	50		135x110	105x80	11	240	500



LMHBOPU

BRAKED

100LMHB40PUBJSWB	100	50		135x110	105x80	11	33	143	280
125LMHB40PUBJSWB	125	50		135x110	105x80	11	40	165	340
150LMHB40PUBJSWB	150	50		135x110	105x80	11	45	190	430
200LMHB40PUBJSWB	200	50		135x110	105x80	11	54	240	500

INDUSTRIAL

SERIES: LMHBPT

BRACKET: **FABRICATED**
 WHEEL: **POLYURETHANE**
 ON **CAST IRON** CENTRE
 BEARING: **BALL BEARING**



LMHBPT

SWIVEL

100LMHB4PTBJ	100	50		135x110	105x80	11	33	143	450
125LMHB4PTBJ	125	50		135x110	105x80	11	40	165	500
150LMHB4PTBJ	150	50		135x110	105x80	11	45	190	500
200LMHB4PTBJ	200	50		135x110	105x80	11	54	240	500



LMHBPT

FIXED

100LMHB8PTBJ	100	50		135x110	105x80	11		143	450
125LMHB8PTBJ	125	50		135x110	105x80	11		165	500
150LMHB8PTBJ	150	50		135x110	105x80	11		190	500
200LMHB8PTBJ	200	50		135x110	105x80	11		240	500



LMHBPT

BRAKED

100LMHB4PTBJSWB	100	50		135x110	105x80	11	33	143	450
125LMHB4PTBJSWB	125	50		135x110	105x80	11	40	165	500
150LMHB4PTBJSWB	150	50		135x110	105x80	11	45	190	500
200LMHB4PTBJSWB	200	50		135x110	105x80	11	54	240	500

MEDIUM / HEAVY

INDUSTRIAL

SERIES: LMHBPTRP

BRACKET: **FABRICATED**
 WHEEL: **ROUND PROFILE**
 POLYURETHANE ON CAST IRON CENTRE
 BEARING: **BALL BEARING**



MEDIUM / HEAVY



LMHBPTRP

SWIVEL

100LMHB4PTRPBJ	100	50		135x110	105x80	11	33	143	350
125LMHB4PTRPBJ	125	50		135x110	105x80	11	40	165	400
150LMHB4PTRPBJ	150	50		135x110	105x80	11	45	190	500
200LMHB4PTRPBJ	200	50		135x110	105x80	11	54	241	500



LMHBPTRP

FIXED

100LMHB8PTRPBJ	100	50		135x110	105x80	11	143	350
125LMHB8PTRPBJ	125	50		135x110	105x80	11	165	400
150LMHB8PTRPBJ	150	50		135x110	105x80	11	190	500
200LMHB8PTRPBJ	200	50		135x110	105x80	11	241	500



LMHBPTRP

BRAKED

100LMHB4PTRPBJSWB	100	50		135x110	105x80	11	33	143	350
125LMHB4PTRPBJSWB	125	50		135x110	105x80	11	40	165	400
150LMHB4PTRPBJSWB	150	50		135x110	105x80	11	45	190	500
200LMHB4PTRPBJSWB	200	50		135x110	105x80	11	54	241	500

INDUSTRIAL

SERIES: LMHBPTA

BRACKET: **FABRICATED**
 WHEEL: **POLYURETHANE**
 ON **ALUMINIUM CENTRE**
 BEARING: **BALL BEARING**



MEDIUM / HEAVY



LMHBPTA										
SWIVEL										
125LMHB4PTABJ	125	50		135x110	105x80	11	40	165	500	
150LMHB4PTABJ	150	50		135x110	105x80	11	45	190	500	
200LMHB4PTABJ	200	50		135x110	105x80	11	54	240	500	



LMHBPTA									
FIXED									
125LMHB8PTABJ	125	50		135x110	105x80	11		165	500
150LMHB8PTABJ	150	50		135x110	105x80	11		190	500
200LMHB8PTABJ	200	50		135x110	105x80	11		240	500



LMHBPTA										
BRAKED										
125LMHB4PTABJSWB	125	50		135x110	105x80	11	40	165	500	
150LMHB4PTABJSWB	150	50		135x110	105x80	11	45	190	500	
200LMHB4PTABJSWB	200	50		135x110	105x80	11	54	240	500	

INDUSTRIAL

SERIES: LMHBEP

BRACKET: **FABRICATED**
 WHEEL: **ELASTIC POLYURETHANE**
 ON **ALUMINIUM CENTRE**
 BEARING: **BALL BEARING**

Elast
Prene



MEDIUM / HEAVY



LMHBEP SWIVEL									
160LMHB4EPABJ	160	50		135x110	105x80	11	45	195	500
200LMHB4EPABJ	200	50		135x110	105x80	11	54	240	500



LMHBEP FIXED									
160LMHB8EPABJ	160	50		135x110	105x80	11		195	500
200LMHB8EPABJ	200	50		135x110	105x80	11		240	500



LMHBEP BRAKED									
200LMHB4EPABJSWB	200	50		135x110	105x80	11	54	240	500