



# INDUSTRIAL

## SERIES: LWNY/GDNY DRNYHD

BRACKET: **PRESSED STEEL**  
WHEEL: **NYLON**  
BEARING: **PLAIN**

LIGHT / MEDIUM



<b>LWNY</b> SWIVEL										
<b>50LW4NY</b>	50	25		66x47.5	54x24	6.3	26	65	60	
<b>63LW4NY</b>	63	28		98x70	76x40	8.5	28	81	80	
<b>75LW4NY</b>	75	30		104x80	86x60	8.5	26	96	110	
<b>100LW4NY</b>	100	32		130x102	103x76	10	38	127	140	
<b>75GD4NY</b>	75	26		104x80	86x60	8.5	25	95	140	



<b>LWNY</b> FIXED									
<b>50LW8NY</b>	50	25		66x45	54x24	6.3		65	60
<b>63LW8NY</b>	63	28		98x55	82x25	8.5		81	80
<b>75LW8NY</b>	75	30		102x64	83x35	8.5		96	110
<b>100LW8NY</b>	100	32		130x69	110x38	10		127	140
<b>75GD8NY</b>	75	26		102x64	83x35	8.5		95	140



<b>GDNY</b> BRAKED									
<b>75GD4NYBK</b>	75	26		104x80	86x60	8.5	25	95	140

### WIDE TREAD



<b>DRNYHD</b> WIDE TREAD SWIVEL									
<b>50DR4NYHD</b>	50	30		60x60	43x43	6.2	26	72	80

### WIDE TREAD



<b>DRNYHD</b> WIDE TREAD BRAKED									
<b>50DR4NYHDSWB</b>	50	30		60x60	43x43	6.2	26	72	80

# INDUSTRIAL

## SERIES: DRPP

BRACKET: **PRESSED STEEL**  
 WHEEL: **POLYPROPYLENE**  
 BEARING: **ROLLER**



LIGHT / MEDIUM



### DRPP SWIVEL

<b>80DR4PPB</b>	80	35		105x85	80x60	9	37.5	106	150
<b>100DR4PPB</b>	100	35		105x85	80x60	9	40	128	180
<b>125DR4PPB</b>	125	35		105x85	80x60	9	47	152	220



### DRPP FIXED

<b>80DR8PPB</b>	80	35		105x85	80x60	9		106	150
<b>100DR8PPB</b>	100	35		105x85	80x60	9		128	180
<b>125DR8PPB</b>	125	35		105x85	80x60	9		152	220



### DRPP BRAKED

<b>80DR4PPBSWB</b>	80	35		105x85	80x60	9	37.5	106	150
<b>100DR4PPBSWB</b>	100	35		105x85	80x60	9	40	128	180
<b>125DR4PPBSWB</b>	125	35		105x85	80x60	9	47	152	220



### DRPP BOLT HOLE

<b>80DRBH12PPB</b>	80	35					12.1	37.5	106
<b>100DRBH12PPB</b>	100	35					12.1	40	128
<b>125DRBH12PPB</b>	125	35					12.1	47	152



### DRPP BOLT HOLE BRAKED

<b>80DRBH12PPBSWB</b>	80	35					12.1	37.5	106
<b>100DRBH12PPBSWB</b>	100	35					12.1	40	128
<b>125DRBH12PPBSWB</b>	125	35					12.1	47	152

### EXPANDERS



# INDUSTRIAL

## SERIES: DRNY

BRACKET: **PRESSED STEEL**  
WHEEL: **NYLON**  
BEARING: **PLAIN**



LIGHT / MEDIUM



<b>DRNY</b> SWIVEL										
80DR4NY	80	35		105x85	80x60	9	37.5	106	200	
100DR4NY	100	35		105x85	80x60	9	40	128	200	
125DR4NY	125	35		105x85	80x60	9	47	152	270	
★ 125DR4NYLP	125	35		135x110	105x80	11	53	157	270	
150DR4NY	150	40		135x105	105x80	11	65	185	350	
160DR4NY	160	45		135x105	105x80	11	65	195	350	
200DR4NY	200	50		135x105	105x80	11	68	237	350	



<b>DRNY</b> FIXED									
80DR8NY	80	35		105x85	80x60	9		106	200
100DR8NY	100	35		105x85	80x60	9		128	200
125DR8NY	125	35		105x85	80x60	9		152	270
★ 125DR8NYLP	125	35		135x110	105x80	11		157	270
150DR8NY	150	40		135x105	105x80	11		185	350
160DR8NY	160	45		135x105	105x80	11		195	350
200DR8NY	200	50		135x105	105x80	11		237	350




<b>DRNY</b> BRAKED									
80DR4NYSWB	80	35		105x85	80x60	9	37.5	106	200
100DR4NYSWB	100	35		105x85	80x60	9	40	128	200
125DR4NYSWB	125	35		105x85	80x60	9	47	152	270
★ 125DR4NYSWBLP	125	35		135x110	105x80	11	53	157	270
150DR4NYSWB	150	40		135x105	105x80	11	65	185	350
160DR4NYSWB	160	45		135x105	105x80	11	65	195	350
200DR4NYSWB	200	50		135x105	105x80	11	68	237	350



<b>DRNY</b> BOLT HOLE										
80DRBH12NY	80	35					12.1	37.5	106	200
100DRBH12NY	100	35					12.1	40	128	200
125DRBH12NY	125	35					12.1	47	152	270
150DRBH12NY	150	40					12.1	65	185	350
160DRBH12NY	160	45					12.1	65	195	350
200DRBH12NY	200	50					12.1	68	237	350



<b>DRNY</b> BOLT HOLE BRAKED										
80DRBH12NYSWB	80	35					12.1	37.5	106	200
100DRBH12NYSWB	100	35					12.1	40	128	200
125DRBH12NYSWB	125	35					12.1	47	152	270
150DRBH12NYSWB	150	40					12.1	65	185	350
160DRBH12NYSWB	160	45					12.1	65	195	350
200DRBH12NYSWB	200	50					12.1	68	237	350



★ LARGE PLATE OPTION AVAILABLE

# INDUSTRIAL

## SERIES: DRPS

BRACKET: **PRESSED STEEL**  
 WHEEL: **RUBBER**  
 ON **PLASTIC CENTRE**  
 BEARING: **ROLLER**



LIGHT / MEDIUM



<b>DRPS</b>										
<b>SWIVEL</b>										<b>KG</b>
80DR4PSB	80	30		105x85	80x60	9	37.5	106	65	
100DR4PSB	100	32		105x85	80x60	9	40	128	80	
125DR4PSB	125	37		105x85	80x60	9	47	152	100	
★ 125DR4PSBLP	125	37		135x110	105x80	11	53	157	100	
160DR4PSB	160	40		135x105	105x80	11	65	195	175	
200DR4PSB	200	50		135x105	105x80	11	68	237	205	



<b>DRPS</b>									
<b>FIXED</b>									<b>KG</b>
80DR8PSB	80	30		105x85	80x60	9		106	65
100DR8PSB	100	32		105x85	80x60	9		128	80
125DR8PSB	125	37		105x85	80x60	9		152	100
★ 125DR8PSBLP	125	37		135x110	105x80	11		157	100
160DR8PSB	160	40		135x105	105x80	11		195	175
200DR8PSB	200	50		135x105	105x80	11		237	205



<b>DRPS</b>									
<b>BRAKED</b>									<b>KG</b>
80DR4PSBSWB	80	30		105x85	80x60	9	37.5	106	65
100DR4PSBSWB	100	32		105x85	80x60	9	40	128	80
125DR4PSBSWB	125	37		105x85	80x60	9	47	152	100
★ 125DR4PSBSWBLP	125	37		135x110	105x80	11	53	157	100
160DR4PSBSWB	160	40		135x105	105x80	11	65	195	175
200DR4PSBSWB	200	50		135x105	105x80	11	68	237	205



<b>DRPS</b>										
<b>BOLT HOLE</b>									<b>KG</b>	
80DRBH12PSB	80	30					12.1	37.5	106	65
100DRBH12PSB	100	32					12.1	40	128	80
125DRBH12PSB	125	37					12.1	47	152	100
160DRBH12PSB	160	40					12.1	65	195	175
200DRBH12PSB	200	50					12.1	68	237	205



<b>DRPS</b>										
<b>BOLT HOLE BRAKED</b>									<b>KG</b>	
80DRBH12PSBSWB	80	30					12.1	37.5	106	65
100DRBH12PSBSWB	100	32					12.1	40	128	80
125DRBH12PSBSWB	125	37					12.1	47	152	100
160DRBH12PSBSWB	160	40					12.1	65	195	175
200DRBH12PSBSWB	200	50					12.1	68	237	205

BLACK WHEEL AVAILABLE



★ LARGE PLATE OPTION AVAILABLE

# INDUSTRIAL

## SERIES: DRBS

BRACKET: **PRESSED STEEL**  
 WHEEL: **RUBBER**  
 ON **STEEL DISK CENTRE**  
 BEARING: **ROLLER**



LIGHT / MEDIUM



<b>DRBS</b>	<b>SWIVEL</b>									
<b>80DR4BSB</b>	80	30		105x85	80x60	9	37.5	106	65	
<b>100DR4BSB</b>	100	32		105x85	80x60	9	40	128	80	
<b>125DR4BSB</b>	125	37		105x85	80x60	9	47	152	100	
★ <b>125DR4BSBLP</b>	125	37		135x110	105x80	11	53	157	100	
<b>160DR4BSB</b>	160	40		135x105	105x80	11	65	195	175	
<b>200DR4BSB</b>	200	50		135x105	105x80	11	68	237	205	



<b>DRBS</b>	<b>FIXED</b>								
<b>80DR8BSB</b>	80	30		105x85	80x60	9		106	65
<b>100DR8BSB</b>	100	32		105x85	80x60	9		128	80
<b>125DR8BSB</b>	125	37		105x85	80x60	9		152	100
★ <b>125DR8BSBLP</b>	125	37		135x110	105x80	11		157	100
<b>160DR8BSB</b>	160	40		135x105	105x80	11		195	175
<b>200DR8BSB</b>	200	50		135x105	105x80	11		237	205



<b>DRBS</b>	<b>BRAKED</b>								
<b>80DR4BSBSWB</b>	80	30		105x85	80x60	9	37.5	106	65
<b>100DR4BSBSWB</b>	100	32		105x85	80x60	9	40	128	80
<b>125DR4BSBSWB</b>	125	37		105x85	80x60	9	47	152	100
★ <b>125DR4BSBSWBLP</b>	125	37		135x110	105x80	11	53	157	100
<b>160DR4BSBSWB</b>	160	40		135x105	105x80	11	65	195	175
<b>200DR4BSBSWB</b>	200	50		135x105	105x80	11	68	237	205



<b>DRBS</b>	<b>BOLT HOLE</b>									
<b>80DRBH12BSB</b>	80	30					12.1	37.5	106	65
<b>100DRBH12BSB</b>	100	32					12.1	40	128	80
<b>125DRBH12BSB</b>	125	37					12.1	47	152	100
<b>160DRBH12BSB</b>	160	40					12.1	65	195	175
<b>200DRBH12BSB</b>	200	50					12.1	68	237	205



<b>DRBS</b>	<b>BOLT HOLE BRAKED</b>									
<b>80DRBH12BSBSWB</b>	80	30					12.1	37.5	106	65
<b>100DRBH12BSBSWB</b>	100	32					12.1	40	128	80
<b>125DRBH12BSBSWB</b>	125	37					12.1	47	152	100
<b>160DRBH12BSBSWB</b>	160	40					12.1	65	195	175
<b>200DRBH12BSBSWB</b>	200	50					12.1	68	237	205

⚡ \*Anti Static. Available on request. 160mm and 200mm ONLY.




★ LARGE PLATE OPTION AVAILABLE

# INDUSTRIAL

## SERIES: DRGR

BRACKET: **PRESSED STEEL**  
 WHEEL: **GREY NON-MARKING**  
**RUBBER ON PLASTIC CENTRE**  
 BEARING: **ROLLER**



LIGHT / MEDIUM



<b>DRGR</b>											
<b>SWIVEL</b>											<b>KG</b>
80DR4GRB	80	30		105x85	80x60	9	37.5	106	65		
100DR4GRB	100	32		105x85	80x60	9	40	128	75		
125DR4GRB	125	37		105x85	80x60	9	47	152	100		
★ 125DR4GRBLP	125	37		135x110	105x80	11	53	157	100		
160DR4GRB	160	40		135x105	105x80	11	65	195	175		
200DR4GRB	200	50		135x105	105x80	11	68	237	205		



<b>DRGR</b>											
<b>FIXED</b>											<b>KG</b>
80DR8GRB	80	30		105x85	80x60	9		106	65		
100DR8GRB	100	32		105x85	80x60	9		128	75		
125DR8GRB	125	37		105x85	80x60	9		152	100		
★ 125DR8GRBLP	125	37		135x110	105x80	11		157	100		
160DR8GRB	160	40		135x105	105x80	11		195	175		
200DR8GRB	200	50		135x105	105x80	11		237	205		



<b>DRGR</b>											
<b>BRAKED</b>											<b>KG</b>
80DR4GRBSWB	80	30		105x85	80x60	9	37.5	106	65		
100DR4GRBSWB	100	32		105x85	80x60	9	40	128	75		
125DR4GRBSWB	125	37		105x85	80x60	9	47	152	100		
★ 125DR4GRBSWBLP	125	37		135x110	105x80	11	37	157	100		
160DR4GRBSWB	160	40		135x105	105x80	11	65	195	175		
200DR4GRBSWB	200	50		135x105	105x80	11	68	237	205		



<b>DRGR</b>											
<b>BOLT HOLE</b>											<b>KG</b>
80DRBH12GRB	80	30						12.1	37.5	106	65
100DRBH12GRB	100	32						12.1	40	128	75
125DRBH12GRB	125	37						12.1	47	152	100
160DRBH12GRB	160	40						12.1	65	195	175
200DRBH12GRB	200	50						12.1	68	237	205



<b>DRGR</b>											
<b>BOLT HOLE BRAKED</b>											<b>KG</b>
80DRBH12GRBSWB	80	30						12.1	37.5	106	65
100DRBH12GRBSWB	100	32						12.1	40	128	75
125DRBH12GRBSWB	125	37						12.1	47	152	100
160DRBH12GRBSWB	160	40						12.1	65	195	175
200DRBH12GRBSWB	200	50						12.1	68	237	205

### EXPANDERS



★ LARGE PLATE OPTION AVAILABLE

# INDUSTRIAL

## SERIES: DRTPR

BRACKET: **PRESSED STEEL**  
 WHEEL: **SYNTHETIC NON-MARKING**  
**GREY RUBBER ON PLASTIC CENTRE**  
 BEARING: **PLAIN**



LIGHT / MEDIUM



<b>DRTPR</b>										
<b>SWIVEL</b>										
<b>80DR4TPR</b>	80	32		105x85	80x60	9	37.5	106	60	
<b>100DR4TPR</b>	100	32		105x85	80x60	9	40	128	80	
<b>125DR4TPR</b>	125	32		105x85	80x60	9	47	152	100	
<b>160DR4TPRBIGBOX</b>	160	38		135x105	105x80	11	65	195	140	
<b>200DR4TPRBIGBOX</b>	200	42		135x105	105x80	11	68	237	200	



<b>DRTPR</b>									
<b>FIXED</b>									
<b>80DR8TPR</b>	80	32		105x85	80x60	9		106	60
<b>100DR8TPR</b>	100	32		105x85	80x60	9		128	80
<b>125DR8TPR</b>	125	32		105x85	80x60	9		152	100
<b>160DR8TPRBIGBOX</b>	160	38		135x105	105x80	11		195	140
<b>200DR8TPRBIGBOX</b>	200	42		135x105	105x80	11		237	200



<b>DRTPR</b>									
<b>BRAKED</b>									
<b>80DR4TPRSWB</b>	80	32		105x85	80x60	9	37.5	106	60
<b>100DR4TPRSWB</b>	100	32		105x85	80x60	9	40	128	80
<b>125DR4TPRSWB</b>	125	32		105x85	80x60	9	47	152	100
<b>160DR4TPRBIGSWBBOX</b>	160	38		135x105	105x80	11	65	195	140
<b>200DR4TPRBIGSWBBOX</b>	200	42		135x105	105x80	11	68	237	200



<b>DRTPR</b>									
<b>BOLT HOLE</b>									
<b>80DRBH12TPR</b>	80	32				12.1	37.5	106	60
<b>100DRBH12TPR</b>	100	32				12.1	40	128	80
<b>125DRBH12TPR</b>	125	32				12.1	47	152	100
<b>160DRBH12TPRBIGBOX</b>	160	38				12.1	65	195	140
<b>200DRBH12TPRBIGBOX</b>	200	42				12.1	68	237	200



<b>DRTPR</b>									
<b>BOLT HOLE BRAKED</b>									
<b>80DRBH12TPRSWB</b>	80	32				12.1	37.5	106	60
<b>100DRBH12TPRSWB</b>	100	32				12.1	40	128	80
<b>125DRBH12TPRSWB</b>	125	32				12.1	47	152	100
<b>160DRBH12TPRBIGSWBBOX</b>	160	38				12.1	65	195	140
<b>200DRBH12TPRBIGSWBBOX</b>	200	42				12.1	68	237	200

\*Anti Static. Available on request. 100mm and 125mm ONLY.

### EXPANDERS



# INDUSTRIAL

## SERIES: DRBN

BRACKET: **PRESSED STEEL**  
 WHEEL: **ELASTIC NON-MARKING RUBBER ON NYLON CENTRE**  
 BEARING: **ROLLER/BALL BEARING**



LIGHT / MEDIUM



<b>DRBN</b> <b>SWIVEL</b>										
<b>80DR4BNB</b>	80	34			105x85	80x60	9	37.5	106	150
<b>100DR4BNB</b>	100	34			105x85	80x60	9	40	128	180
<b>125DR4BNB</b>	125	36			105x85	80x60	9	47	152	250
★ <b>125DR4BNBLP</b>	125	36			135x110	105x80	11	53	157	250
<b>160DR4BNB</b>	160	45			135x105	105x80	11	65	195	350
<b>200DR4BNB</b>	200	45			135x105	105x80	11	68	237	350



<b>DRBN</b> <b>FIXED</b>										
<b>80DR8BNB</b>	80	34			105x85	80x60	9		106	150
<b>100DR8BNB</b>	100	34			105x85	80x60	9		128	180
<b>125DR8BNB</b>	125	36			105x85	80x60	9		152	250
★ <b>125DR8BNBLP</b>	125	36			135x110	105x80	11		157	250
<b>160DR8BNB</b>	160	45			135x105	105x80	11		195	350
<b>200DR8BNB</b>	200	45			135x105	105x80	11		237	350



<b>DRBN</b> <b>BRAKED</b>										
<b>80DR4BNBSWB</b>	80	34			105x85	80x60	9	37.5	106	150
<b>100DR4BNBSWB</b>	100	34			105x85	80x60	9	40	128	180
<b>125DR4BNBSWB</b>	125	36			105x85	80x60	9	47	152	250
★ <b>125DR4BNBSWBLP</b>	125	36			135x110	105x80	11	53	157	250
<b>160DR4BNBSWB</b>	160	45			135x105	105x80	11	65	195	350
<b>200DR4BNBSWB</b>	200	45			135x105	105x80	11	68	237	350



<b>DRBN</b> <b>BOLT HOLE</b>										
<b>80DRBH12BNB</b>	80	34						12.1	37.5	106
<b>100DRBH12BNB</b>	100	34						12.1	40	128
<b>125DRBH12BNB</b>	125	36						12.1	47	152
<b>160DRBH12BNB</b>	160	45						12.1	65	195
<b>200DRBH12BNB</b>	200	45						12.1	68	237



<b>DRBN</b> <b>BOLT HOLE BRAKED</b>										
<b>80DRBH12BNBSWB</b>	80	34						12.1	37.5	106
<b>100DRBH12BNBSWB</b>	100	34						12.1	40	128
<b>125DRBH12BNBSWB</b>	125	36						12.1	47	152
<b>160DRBH12BNBSWB</b>	160	45						12.1	65	195
<b>200DRBH12BNBSWB</b>	200	45						12.1	68	237

**BNBJ WHEEL OPTION - CAN BE PROVIDED IN CERTAIN SIZES**



★ **LARGE PLATE OPTION AVAILABLE**



# INDUSTRIAL

## SERIES: DREA

BRACKET: **PRESSED STEEL**  
 WHEEL: **ELASTIC RUBBER**  
 ON **ALUMINIUM CENTRE**  
 BEARING: **BALL BEARING**



LIGHT / MEDIUM



<b>DREA</b>										
<b>SWIVEL</b>										
80DR4EABJ	80	36			105x85	80x60	9	37.5	106	100
100DR4EABJ	100	40			105x85	80x60	9	40	128	180
125DR4EABJ	125	38			105x85	80x60	9	47	152	200
★ 125DR4EABJLP	125	38			135x110	105x80	11	53	157	200
150DR4EABJ	150	50			135x105	105x80	11	65	185	300
160DR4EABJ	160	50			135x105	105x80	11	65	195	350
200DR4EABJ	200	50			135x105	105x80	11	68	237	350



<b>DREA</b>										
<b>FIXED</b>										
80DR8EABJ	80	36			105x85	80x60	9		106	100
100DR8EABJ	100	40			105x85	80x60	9		128	180
125DR8EABJ	125	38			105x85	80x60	9		152	200
★ 125DR8EABJLP	125	38			135x110	105x80	11		157	200
150DR8EABJ	150	50			135x105	105x80	11		185	300
160DR8EABJ	160	50			135x105	105x80	11		195	350
200DR8EABJ	200	50			135x105	105x80	11		237	350



<b>DREA</b>										
<b>BRAKED</b>										
80DR4EABJSWB	80	36			105x85	80x60	9	37.5	106	100
100DR4EABJSWB	100	40			105x85	80x60	9	40	128	180
125DR4EABJSWB	125	38			105x85	80x60	9	47	152	200
★ 125DR4EABJSWBLP	125	38			135x110	105x80	11	53	157	200
150DR4EABJSWB	150	50			135x105	105x80	11	65	185	300
160DR4EABJSWB	160	50			135x105	105x80	11	65	195	350
200DR4EABJSWB	200	50			135x105	105x80	11	68	237	350



<b>DREA</b>										
<b>BOLT HOLE</b>										
80DRBH12EABJ	80	36					12.1	37.5	106	100
100DRBH12EABJ	100	40					12.1	40	128	180
125DRBH12EABJ	125	38					12.1	47	152	200
150DRBH12EABJ	150	50					12.1	65	185	300
160DRBH12EABJ	160	50					12.1	65	195	350
200DRBH12EABJ	200	50					12.1	68	237	350



<b>DREA</b>										
<b>BOLT HOLE BRAKED</b>										
80DRBH12EABJSWB	80	36					12.1	37.5	106	100
100DRBH12EABJSWB	100	40					12.1	40	128	180
125DRBH12EABJSWB	125	38					12.1	47	152	200
150DRBH12EABJSWB	150	50					12.1	65	185	300
160DRBH12EABJSWB	160	50					12.1	65	195	350
200DRBH12EABJSWB	200	50					12.1	68	237	350



★ LARGE PLATE OPTION AVAILABLE

# INDUSTRIAL

## SERIES: DRRT

BRACKET: **PRESSED STEEL**  
 WHEEL: **ELASTIC RUBBER ON**  
**CAST IRON CENTRE**  
 BEARING: **BALL BEARING**



LIGHT / MEDIUM



<b>DRRT</b> SWIVEL									
★ 125DR4RTBJLP	125	38		135x110	105x80	11	53	157	190
150DR4RTBJ	150	50		135x105	105x80	11	65	185	350
200DR4RTBJ	200	50		135x105	105x80	11	68	237	350



<b>DRRT</b> FIXED									
★ 125DR8RTBJP	125	38		135x110	105x80	11		157	190
150DR8RTBJ	150	50		135x105	105x80	11		185	350
200DR8RTBJ	200	50		135x105	105x80	11		237	350



<b>DRRT</b> BRAKED									
★ 125DR4RTBJSWBLP	125	38		135x110	105x80	11	53	157	190
150DR4RTBJSWB	150	50		135x105	105x80	11	65	185	350
200DR4RTBJSWB	200	50		135x105	105x80	11	68	237	350



<b>DRRT</b> BOLT HOLE									
150DRBH12RTBJ	150	50				12.1	65	185	350
200DRBH12RTBJ	200	50				12.1	68	237	350



<b>DRRT</b> BOLT HOLE BRAKED									
150DRBH12RTBJSWB	150	50				12.1	65	185	350
200DRBH12RTBJSWB	200	50				12.1	68	237	350

### EXPANDERS



★ LARGE PLATE OPTION AVAILABLE

# INDUSTRIAL

## SERIES: DRCI

BRACKET: **PRESSED STEEL**  
 WHEEL: **CAST IRON**  
 BEARING: **ROLLER / BALL BEARING**



LIGHT / MEDIUM

	<b>DRCI</b> SWIVEL									
	<b>100DR4CIB</b>	100	38		105x85	80x60	9	40	128	220
	<b>125DR4CIBJ</b>	125	35		105x85	80x60	9	47	152	270
	★ <b>125DR4CIBJLP</b>	125	35		135x110	105x80	11	53	157	400
	<b>150DR4CIBJ</b>	150	45		135x105	105x80	11	65	185	350
	<b>200DR4CIBJ</b>	200	45		135x105	105x80	11	68	237	350
	<b>DRCI</b> FIXED									
	<b>100DR8CIB</b>	100	38		105x85	80x60	9		128	220
	<b>125DR8CIBJ</b>	125	35		105x85	80x60	9		152	270
	★ <b>125DR8CIBJLP</b>	125	35		135x110	105x80	11		157	400
	<b>150DR8CIBJ</b>	150	45		135x105	105x80	11		185	350
	<b>200DR8CIBJ</b>	200	45		135x105	105x80	11		237	350
	<b>DRCI</b> BRAKED									
	<b>100DR4CIBSWB</b>	100	38		105x85	80x60	9	40	128	220
	<b>125DR4CIBJSWB</b>	125	35		105x85	80x60	9	47	152	270
	★ <b>125DR4CIBJSWBLP</b>	125	35		135x110	105x80	11	53	157	400
	<b>150DR4CIBJSWB</b>	150	45		135x105	105x80	11	65	185	350
	<b>200DR4CIBJSWB</b>	200	45		135x105	105x80	11	68	237	350
	<b>DRCI</b> BOLT HOLE									
	<b>100DRBH12CIB</b>	100	38				12.1	40	128	220
	<b>125DRBH12CIBJ</b>	125	35				12.1	47	152	270
	<b>150DRBH12CIBJ</b>	150	45				12.1	65	185	350
	<b>200DRBH12CIBJ</b>	200	45				12.1	68	237	350
	<b>DRCI</b> BOLT HOLE BRAKED									
	<b>100DRBH12CIBSWB</b>	100	38				12.1	40	128	220
	<b>125DRBH12CIBJSWB</b>	125	35				12.1	47	152	270
	<b>150DRBH12CIBJSWB</b>	150	45				12.1	65	185	350
	<b>200DRBH12CIBJSWB</b>	200	45				12.1	68	237	350

### EXPANDERS



★ LARGE PLATE OPTION AVAILABLE

# INDUSTRIAL

## SERIES: LVHT/G/BJG

BRACKET: **PRESSED STEEL**  
 WHEEL: **HIGH TEMPERATURE RESISTANT**  
 WHEELS 220 °C, 260 °C OR 280 °C  
 BEARING: **PLAIN / BALL BEARING**



LIGHT / MEDIUM



LVHT/G SWIVEL										
100LV4HT 220	100	38		105x85	80x60	9	40	128		150
100LV4HTG 280	100	38		105x85	80x60	9	40	128		200



LVHT/G FIXED										
100LV8HT 220	100	38		105x85	80x60	9		128		150
100LV8HTG 280	100	38		105x85	80x60	9		128		200



LVHT/G BOLT HOLE										
100LVBH12HT 220	100	38					12.1	40	128	150
100LVBH12HTG 280	100	38					12.1	40	128	200



LVHTBJG SWIVEL										
80LV4HT 260	80	30		105x85	80x60	9	40	106		200
80LV4HTBJG 260	80	30		105x85	80x60	9	40	106		200
100LV4HT 260	100	32		105x85	80x60	9	40	128		220
100LV4HTBJG 260	100	32		105x85	80x60	9	40	128		220
125LV4HT 260	125	40		105x85	80x60	9	40	155		250
125LV4HTBJG 260	125	40		105x85	80x60	9	40	155		250



LVHTBJG FIXED										
80LV8HT 260	80	30		105x85	80x60	9		106		200
80LV8HTBJG 260	80	30		105x85	80x60	9		106		200
100LV8HT 260	100	32		105x85	80x60	9		128		220
100LV8HTBJG 260	100	32		105x85	80x60	9		128		220
125LV8HT 260	125	40		105x85	80x60	9		155		250
125LV8HTBJG 260	125	40		105x85	80x60	9		155		250



LVHTBJG BOLT HOLE										
80LVBH12HT 260	80	30					12.1	40	106	200
80LVBH12HTBJG 260	80	30					12.1	40	106	200
100LVBH12HT 260	100	32					12.1	40	128	220
100LVBH12HTBJG 260	100	32					12.1	40	128	220
125LVBH12HT 260	125	40					12.1	40	155	250
125LVBH12HTBJG 260	125	40					12.1	40	155	250

260°C CONSTANT (280°C SHORT PERIODS) (LVHTBJG ONLY)



# INDUSTRIAL

## SERIES: DRPNO

BRACKET: **PRESSED STEEL**  
 WHEEL: **POLYURETHANE**  
 ON **NYLON** CENTRE  
 BEARING: **PLAIN**

LIGHT / MEDIUM



<b>DRPNO</b>	<b>SWIVEL</b>									<b>KG</b>
<b>80DR4PNO</b>	80	30		105x85	80x60	9	37.5	106	100	
<b>100DR4PNO</b>	100	30		105x85	80x60	9	40	128	150	
<b>125DR4PNO</b>	125	35		105x85	80x60	9	47	152	200	
★ <b>125DR4PNOLP</b>	125	35		135x110	105x80	11	53	157	200	
<b>150DR4PNO</b>	150	40		135x105	105x80	11	65	185	280	
<b>160DR4PNO</b>	160	38		135x105	105x80	11	65	195	250	
<b>200DR4PNO</b>	200	50		135x105	105x80	11	68	237	350	



<b>DRPNO</b>	<b>FIXED</b>									<b>KG</b>
<b>80DR8PNO</b>	80	30		105x85	80x60	9		106	100	
<b>100DR8PNO</b>	100	30		105x85	80x60	9		128	150	
<b>125DR8PNO</b>	125	35		105x85	80x60	9		152	200	
★ <b>125DR8PNOLP</b>	125	35		135x110	105x80	11		157	200	
<b>150DR8PNO</b>	150	40		135x105	105x80	11		185	280	
<b>160DR8PNO</b>	160	38		135x105	105x80	11		195	250	
<b>200DR8PNO</b>	200	50		135x105	105x80	11		237	350	



<b>DRPNO</b>	<b>BRAKED</b>									<b>KG</b>
<b>80DR4PNOSWB</b>	80	30		105x85	80x60	9	37.5	106	100	
<b>100DR4PNOSWB</b>	100	30		105x85	80x60	9	40	128	150	
<b>125DR4PNOSWB</b>	125	35		105x85	80x60	9	47	152	200	
★ <b>125DR4PNOSWBLP</b>	125	35		135x110	105x80	11	53	157	200	
<b>150DR4PNOSWB</b>	150	40		135x105	105x80	11	65	185	280	
<b>160DR4PNOSWB</b>	160	38		135x105	105x80	11	65	195	250	
<b>200DR4PNOSWB</b>	200	50		135x105	105x80	11	68	237	350	



<b>DRPNO</b>	<b>BOLT HOLE</b>									<b>KG</b>
<b>80DRBH12PNO</b>	80	30					12.1	37.5	106	100
<b>100DRBH12PNO</b>	100	30					12.1	40	128	150
<b>125DRBH12PNO</b>	125	35					12.1	47	152	200
<b>150DRBH12PNO</b>	150	40					12.1	65	185	280
<b>160DRBH12PNO</b>	160	38					12.1	65	195	250
<b>200DRBH12PNO</b>	200	50					12.1	68	237	350



<b>DRPNO</b>	<b>BOLT HOLE BRAKED</b>									<b>KG</b>
<b>80DRBH12PNOSWB</b>	80	30					12.1	37.5	106	100
<b>100DRBH12PNOSWB</b>	100	30					12.1	40	128	150
<b>125DRBH12PNOSWB</b>	125	35					12.1	47	152	200
<b>150DRBH12PNOSWB</b>	150	40					12.1	65	185	280
<b>160DRBH12PNOSWB</b>	160	38					12.1	65	195	250
<b>200DRBH12PNOSWB</b>	200	50					12.1	68	237	350



★ LARGE PLATE OPTION AVAILABLE



# INDUSTRIAL

## SERIES: DRPNR

BRACKET: **PRESSED STEEL**  
 WHEEL: **POLYURETHANE**  
 ON **NYLON CENTRE**  
 BEARING: **ROLLER**



LIGHT / MEDIUM



<b>DRPNR</b>										
SWIVEL										
100DR4PNRB	100	34		105x85	80x60	9	40	128	200	
125DR4PNRB	125	40		105x85	80x60	9	47	152	260	
★ 125DR4PNRBLP	125	40		135x110	105x80	11	53	157	260	



<b>DRPNR</b>									
FIXED									
100DR8PNRB	100	34		105x85	80x60	9		128	200
125DR8PNRB	125	40		105x85	80x60	9		152	260
★ 125DR8PNRBLP	125	40		135x110	105x80	11		157	260



<b>DRPNR</b>									
BRAKED									
100DR4PNRBSWB	100	34		105x85	80x60	9	40	128	200
125DR4PNRBSWB	125	40		105x85	80x60	9	47	152	260
★ 125DR4PNRBSWBLP	125	40		135x110	105x80	11	53	157	260



<b>DRPNR</b>									
BOLT HOLE									
100DRBH12PNRB	100	34				12.1	40	128	200
125DRBH12PNRB	125	40				12.1	47	152	260



<b>DRPNR</b>									
BOLT HOLE BRAKED									
100DRBH12PNRBSWB	100	34				12.1	40	128	200
125DRBH12PNRBSWB	125	40				12.1	47	152	260

### EXPANDERS



★ LARGE PLATE OPTION AVAILABLE

# INDUSTRIAL

## SERIES: DREPN

BRACKET: **PRESSED STEEL**  
 WHEEL: **ELASTIC POLYURETHANE**  
 ON **NYLON CENTRE**  
 BEARING: **PLAIN**



LIGHT / MEDIUM



<b>DREPN</b>	<b>SWIVEL</b>									
<b>80DR4EPN</b>	80	32								<b>KG</b>
<b>100DR4EPN</b>	100	32								<b>KG</b>
<b>125DR4EPN</b>	125	32								<b>KG</b>
★ <b>125DR4EPNLP</b>	125	32								<b>KG</b>
<b>150DR4EPN</b>	150	42								<b>KG</b>
<b>200DR4EPN</b>	200	50								<b>KG</b>



<b>DREPN</b>	<b>FIXED</b>									
<b>80DR8EPN</b>	80	32								<b>KG</b>
<b>100DR8EPN</b>	100	32								<b>KG</b>
<b>125DR8EPN</b>	125	32								<b>KG</b>
★ <b>125DR8EPNLP</b>	125	32								<b>KG</b>
<b>150DR8EPN</b>	150	42								<b>KG</b>
<b>200DR8EPN</b>	200	50								<b>KG</b>



<b>DREPN</b>	<b>BRAKED</b>									
<b>80DR4EPNSWB</b>	80	32								<b>KG</b>
<b>100DR4EPNSWB</b>	100	32								<b>KG</b>
<b>125DR4EPNSWB</b>	125	32								<b>KG</b>
★ <b>125DR4EPNSWBLP</b>	125	32								<b>KG</b>
<b>150DR4EPNSWB</b>	150	42								<b>KG</b>
<b>200DR4EPNSWB</b>	200	50								<b>KG</b>



<b>DREPN</b>	<b>BOLT HOLE</b>									
<b>80DRBH12EPN</b>	80	32								<b>KG</b>
<b>100DRBH12EPN</b>	100	32								<b>KG</b>
<b>125DRBH12EPN</b>	125	32								<b>KG</b>
<b>150DRBH12EPN</b>	150	42								<b>KG</b>
<b>200DRBH12EPN</b>	200	50								<b>KG</b>



<b>DREPN</b>	<b>BOLT HOLE BRAKED</b>									
<b>80DRBH12EPNSWB</b>	80	32								<b>KG</b>
<b>100DRBH12EPNSWB</b>	100	32								<b>KG</b>
<b>125DRBH12EPNSWB</b>	125	32								<b>KG</b>
<b>150DRBH12EPNSWB</b>	150	42								<b>KG</b>
<b>200DRBH12EPNSWB</b>	200	50								<b>KG</b>



★ LARGE PLATE OPTION AVAILABLE

# INDUSTRIAL

## SERIES: DRPN

BRACKET: **PRESSED STEEL**  
 WHEEL: **POLYURETHANE**  
 ON **NYLON CENTRE**  
 BEARING: **BALL BEARING**



LIGHT / MEDIUM



<b>DRPN</b>									
<b>SWIVEL</b>									<b>KG</b>
100DR4PNBJ	100	38		105x85	80x60	9	40	128	220
125DR4PNBJ	125	38		105x85	80x60	9	47	152	270
★ 125DR4PNBJLP	125	38		135x110	105x80	11	53	157	280
150DR4PNBJ	150	50		135x105	105x80	11	65	185	350
200DR4PNBJ	200	50		135x105	105x80	11	68	237	350



<b>DRPN</b>									
<b>FIXED</b>									<b>KG</b>
100DR8PNBJ	100	38		105x85	80x60	9		128	220
125DR8PNBJ	125	38		105x85	80x60	9		152	270
★ 125DR8PNBJLP	125	38		135x110	105x80	11		157	280
150DR8PNBJ	150	50		135x105	105x80	11		185	350
200DR8PNBJ	200	50		135x105	105x80	11		237	350



<b>DRPN</b>									
<b>BRAKED</b>									<b>KG</b>
100DR4PNBJSWB	100	38		105x85	80x60	9	40	128	220
125DR4PNBJSWB	125	38		105x85	80x60	9	47	152	270
★ 125DR4PNBJSWBLP	125	38		135x110	105x80	11	53	157	280
150DR4PNBJSWB	150	50		135x105	105x80	11	65	185	350
200DR4PNBJSWB	200	50		135x105	105x80	11	68	237	350



<b>DRPN</b>									
<b>BOLT HOLE</b>									<b>KG</b>
100DRBH12PNBJ	100	38				12.1	40	128	220
125DRBH12PNBJ	125	38				12.1	47	152	270
150DRBH12PNBJ	150	50				12.1	65	185	350
200DRBH12PNBJ	200	50				12.1	68	237	350



<b>DRPN</b>									
<b>BOLT HOLE BRAKED</b>									<b>KG</b>
100DRBH12PNBJSWB	100	38				12.1	40	128	220
125DRBH12PNBJSWB	125	35				12.1	47	152	270
150DRBH12PNBJSWB	150	50				12.1	65	185	350
200DRBH12PNBJSWB	200	50				12.1	68	237	350



★ LARGE PLATE OPTION AVAILABLE



# INDUSTRIAL

## SERIES: DRPX

BRACKET: **PRESSED STEEL**  
 WHEEL: **POLYURETHANE**  
 ON **NYLON CENTRE**  
 BEARING: **BALL BEARING**



LIGHT / MEDIUM



<b>DRPX</b> SWIVEL									
<b>150DR4PXBJ</b>	150	50		135x105	105x80	11	65	185	350
<b>200DR4PXBJ</b>	200	50		135x105	105x80	11	68	237	350



<b>DRPX</b> FIXED									
<b>150DR8PXBJ</b>	150	50		135x105	105x80	11		185	350
<b>200DR8PXBJ</b>	200	50		135x105	105x80	11		237	350



<b>DRPX</b> BRAKED									
<b>150DR4PXBJSWB</b>	150	50		135x105	105x80	11	65	185	350
<b>200DR4PXBJSWB</b>	200	50		135x105	105x80	11	68	237	350



<b>DRPX</b> BOLT HOLE									
<b>150DRBH12PXBJ</b>	150	50				12.1	65	185	350
<b>200DRBH12PXBJ</b>	200	50				12.1	68	237	350



<b>DRPX</b> BOLT HOLE BRAKED									
<b>150DRBH12PXBJSWB</b>	150	50				12.1	65	185	350
<b>200DRBH12PXBJSWB</b>	200	50				12.1	68	237	350



# INDUSTRIAL

## SERIES: DROPU

BRACKET: **PRESSED STEEL**  
 WHEEL: **POLYURETHANE**  
 ON **NYLON CENTRE**  
 BEARING: **BALL BEARING**



LIGHT / MEDIUM



<b>DROPU</b> SWIVEL										
<b>150DR40PUBJ</b>	100	50		135x105	105x80	11	65	185	300	
<b>200DR40PUBJ</b>	200	50		135x105	105x80	11	68	237	350	



<b>DROPU</b> FIXED									
<b>150DR80PUBJ</b>	150	50		135x105	105x80	11		185	300
<b>200DR80PUBJ</b>	200	50		135x105	105x80	11		237	350



<b>DROPU</b> BRAKED									
<b>150DR40PUBJSWB</b>	150	50		135x105	105x80	11	65	185	300
<b>200DR40PUBJSWB</b>	200	50		135x105	105x80	11	68	237	350



<b>DROPU</b> BOLT HOLE									
<b>150DRBH120PUBJ</b>	150	50				12.1	65	185	300
<b>200DRBH120PUBJ</b>	200	50				12.1	68	237	350



<b>DROPU</b> BOLT HOLE BRAKED									
<b>150DRBH120PUBJSWB</b>	150	50				12.1	65	185	300
<b>200DRBH120PUBJSWB</b>	200	50				12.1	68	237	350



# INDUSTRIAL

## SERIES: DRPT

BRACKET: **PRESSED STEEL**  
 WHEEL: **POLYURETHANE**  
 ON **CAST IRON** CENTRE  
 BEARING: **BALL BEARING**



LIGHT / MEDIUM



<b>DRPT</b> SWIVEL										
100DR4PTBJ	100	38		105x85	80x60	9	40	128	220	
125DR4PTBJ	125	38		105x85	80x60	9	47	152	270	
★ 125DR4PTBJLP	125	38		135x110	105x80	12	38	157	450	
150DR4PTBJ	150	50		135x105	105x80	11	65	185	350	
200DR4PTBJ	200	50		135x105	105x80	11	68	237	350	



<b>DRPT</b> FIXED									
100DR8PTBJ	100	38		105x85	80x60	9		128	220
125DR8PTBJ	125	38		105x85	80x60	9		152	270
★ 125DR8PTBJLP	125	38		135x110	105x80	12		157	450
150DR8PTBJ	150	50		135x105	105x80	11		185	350
200DR8PTBJ	200	50		135x105	105x80	11		237	350



<b>DRPT</b> BRAKED									
100DR4PTBJSWB	100	38		105x85	80x60	9	40	128	220
125DR4PTBJSWB	125	38		105x85	80x60	9	47	152	270
★ 125DR4PTBJSWBLP	125	38		135x110	105x80	12	38	157	450
150DR4PTBJSWB	150	50		135x105	105x80	11	65	185	350
200DR4PTBJSWB	200	50		135x105	105x80	11	68	237	350



<b>DRPT</b> BOLT HOLE									
100DRBH12PTBJ	100	38				12.1	40	128	220
125DRBH12PTBJ	125	38				12.1	47	152	270
150DRBH12PTBJ	150	50				12.1	65	185	350
200DRBH12PTBJ	200	50				12.1	68	237	350



<b>DRPT</b> BOLT HOLE BRAKED									
100DRBH12PTBJSWB	100	38				12.1	40	128	220
125DRBH12PTBJSWB	125	38				12.1	47	152	270
150DRBH12PTBJSWB	150	50				12.1	65	185	350
200DRBH12PTBJSWB	200	50				12.1	68	237	350

### EXPANDERS



★ LARGE PLATE OPTION AVAILABLE

# INDUSTRIAL

## SERIES: DRPTA

BRACKET: **PRESSED STEEL**  
 WHEEL: **POLYURETHANE ON ALUMINIUM CENTRE**  
 BEARING: **BALL BEARING**



LIGHT / MEDIUM



<b>DRPTA</b> <b>SWIVEL</b>										<b>KG</b>
<b>80DR4PTABJ</b>	80	30		105x85	80x60	9	37.5	106	180	180
<b>100DR4PTABJ</b>	100	40		105x85	80x60	9	40	128	220	220
<b>125DR4PTABJ</b>	125	40		105x85	80x60	9	47	152	270	270
<b>150DR4PTABJ</b>	150	50		135x105	105x80	11	65	185	350	350
<b>160DR4PTABJ</b>	160	50		135x105	105x80	11	65	190	350	350
<b>200DR4PTABJ</b>	200	50		135x105	105x80	11	68	237	350	350



<b>DRPTA</b> <b>FIXED</b>										<b>KG</b>
<b>80DR8PTABJ</b>	80	30		105x85	80x60	9		106	180	180
<b>100DR8PTABJ</b>	100	40		105x85	80x60	9		128	220	220
<b>125DR8PTABJ</b>	125	40		105x85	80x60	9		152	270	270
<b>150DR8PTABJ</b>	150	50		135x105	105x80	11		185	350	350
<b>160DR8PTABJ</b>	160	50		135x105	105x80	11		190	350	350
<b>200DR8PTABJ</b>	200	50		135x105	105x80	11		237	350	350



<b>DRPTA</b> <b>BRAKED</b>										<b>KG</b>
<b>80DR4PTABJSWB</b>	80	30		105x85	80x60	9	37.5	106	180	180
<b>100DR4PTABJSWB</b>	100	40		105x85	80x60	9	40	128	220	220
<b>125DR4PTABJSWB</b>	125	40		105x85	80x60	9	47	152	270	270
<b>150DR4PTABJSWB</b>	150	50		135x105	105x80	11	65	185	350	350
<b>160DR4PTABJSWB</b>	160	50		135x105	105x80	11	65	190	350	350
<b>200DR4PTABJSWB</b>	200	50		135x105	105x80	11	68	237	350	350



<b>DRPTA</b> <b>BOLT HOLE</b>										<b>KG</b>
<b>80DRBH12PTABJ</b>	80	30					12.1	37.5	106	180
<b>100DRBH12PTABJ</b>	100	40					12.1	40	128	220
<b>125DRBH12PTABJ</b>	125	40					12.1	47	152	270
<b>150DRBH12PTABJ</b>	150	50					12.1	65	185	350
<b>160DRBH12PTABJ</b>	160	50					12.1	65	190	350
<b>200DRBH12PTABJ</b>	200	50					12.1	68	237	350



<b>DRPTA</b> <b>BOLT HOLE BRAKED</b>										<b>KG</b>
<b>80DRBH12PTABJSWB</b>	80	30					12.1	37.5	106	180
<b>100DRBH12PTABJSWB</b>	100	40					12.1	40	128	220
<b>125DRBH12PTABJSWB</b>	125	40					12.1	47	152	270
<b>150DRBH12PTABJSWB</b>	150	50					12.1	65	185	350
<b>160DRBH12PTABJSWB</b>	160	50					12.1	65	190	350
<b>200DRBH12PTABJSWB</b>	200	50					12.1	68	237	350



# WASTE CONTAINER

## SERIES: DRWCPS/BS

BRACKET: **PRESSED STEEL**  
 WHEEL: **RUBBER TYRE ON STEEL DISK**  
 CENTRE & RUBBER TYRE ON **PLASTIC**  
 BEARING: **ROLLER**



MEDIUM

	<b>DRWCPS/BS</b>																			
	<b>SWIVEL</b>																			
	PS	<b>160DRWC4PSB</b>										160	40		135x110	105x80	11	55	196	175
		<b>200DRWC4PSB</b>										200	50		135x110	105x80	11	65	238	205
	BS	<b>160DRWC4BSB</b>										160	40		135x110	105x80	11	55	196	175
	<b>200DRWC4BSB</b>	200	50		135x110	105x80	11	65	238	205										

	<b>DRWCPS/BS</b>																		
	<b>FIXED</b>																		
	PS	<b>160DRWC8PSB</b>									160	40		135x110	105x80	11		196	175
		<b>200DRWC8PSB</b>									200	50		135x110	105x80	11		238	205
	BS	<b>160DRWC8BSB</b>									160	40		135x110	105x80	11		196	175
	<b>200DRWC8BSB</b>	200	50		135x110	105x80	11		238	205									

	<b>DRWCPS/BS</b>																		
	<b>SHORT BRAKE</b>																		
	PS	<b>160DRWC4PSBSB</b>									160	40		135x110	105x80	11	55	196	175
		<b>200DRWC4PSBSB</b>									200	50		135x110	105x80	11	65	238	205
	BS	<b>160DRWC4BSBSB</b>									160	40		135x110	105x80	11	55	196	175
	<b>200DRWC4BSBSB</b>	200	50		135x110	105x80	11	65	238	205									

	<b>DRWCPS/BS</b>																		
	<b>LEADING BRAKE</b>																		
	PS	<b>160DRWC4PSBSWB</b>									160	40		135x110	105x80	11	55	196	175
		<b>200DRWC4PSBSWB</b>									200	50		135x110	105x80	11	65	238	205
	BS	<b>160DRWC4BSBSWB</b>									160	40		135x110	105x80	11	55	196	175
	<b>200DRWC4BSBSWB</b>	200	50		135x110	105x80	11	65	238	205									



Directional Lock

## WHEELIE BIN

	<b>WPSNW</b>						
	Nose Wheels						
		<b>200WPSNW</b>					

**AXLE**  
 552mm Shaft Length  
 21.5mm Diameter